


# PRODUCT DATA SHEET

## SS152

STAINLESS STEEL WALL OUTLET WITH GRAVITY FLAPS



<b>MANUFACTURER:</b>	<b>VERPLAS LTD</b>
<b>PART NUMBER:</b>	<b>SS152</b>
<b>SIZE:</b>	<b>150mm Diameter</b>
<b>FOR USE WITH:</b>	<b>VERPLAS SYSTEM 150</b>
<b>BOX QUANTITY:</b>	<b>12</b>
<b>INDIVIDUAL WEIGHT:</b>	<b>395g</b>
<b>COLOUR</b>	<b>Silver</b>
<b>MIN OPERATING TEMP</b>	<b>-15°C</b>
<b>MAX OPERATING TEMP</b>	<b>+60°C</b>

### SPECIFICATION DETAILS

The SS152 150mm diameter Stainless Steel Wall Outlet with Gravity Flaps has a minimum free area of 16,286.


The SS152 has 4 anti-backdraught shutters which open during fan operation and close when the fan is switched off. The shutters are designed to prevent external airflow or wind pressure from entering the property.

SS152 is manufactured in compliance with Domestic Plastic Ductwork Specification DW/154.


SS152 has been designed for use with Verplas 150 Round.

AIRFLOW	RESISTANCE
8 l/s	25.68 pa
13 l/s	40.48 pa
21 l/s	62.05 pa
30 l/s	83.49 pa
60 l/s	137.74 pa
120 l/s	209.52 pa

Performance Curve



### Associated Ancillaries



View the Full Range

[Sales@Verplas.co.uk](mailto:Sales@Verplas.co.uk)

[www.Verplas.co.uk](http://www.Verplas.co.uk)

+44 (0) 1202 825898

