
PRODUCT DATA SHEET VSSC5716



Rapid Self-Seal 220x90mm 45° Horizontal Bend







MANUFACTURER: VERPLAS LTD

PART NUMBER: VSSC5716

> SIZE: 220x90mm

FOR USE WITH: **VERPLAS SYSTEM 220**

BOX QUANTITY: 10

INDIVIDUAL WEIGHT: 535g

> COLOUR White

MIN OPERATING TEMP -15°C

MAX OPERATING TEMP +60°C

SPECIFICATION DETAILS

The VSSC5716 220x90mm Rapid Self-Seal 45° Horizontal Bend is manufactured from (white) high impact polystyrene and has a free area of 16,505mm². The Rapid Self-Seal 45° Horizontal Bend incorporates a gasket to reduce air leakage to an absolute minimum between System 220 ducting.

The VSSC5716 is fully compliant with SAP Appendix Q Product Characteristics Database recommendations for duct sizes used with both extract and Mechanical Heat Recovery Systems.


The VSSC5716 is manufactured in compliance with Domestic Plastic Ductwork Specification DW/154 and does meet UL94HB flammability standard.

The VSSC5716 is designed for use with the Verplas System 220.

AIRFLOW	RESISTANCE
8 I/s	0.09
13 l/s	0.22
21 l/s	0.53
30 l/s	1.04
60 I/s	3.87

Pressure Loss **Pascals** (Pa)

PERFORMANCE CURVE



AIRFLOW RATE (L/S)

Associated Ancillaries

VSSC5730 VKC5729 220x90mm 220x90mm Rapid Self-Seal VSSC220DD T-Piece 220x90mm Rapid Self-Seal 2m Flat Channel **Duct to Duct Connector**









