


Verplas

a Breath of Fresh Air

Product Catalogue

www.Verplas.co.uk Sales@Verplas.co.uk 01202 825898



Improving people's lives by providing fresh air solutions, creating healthier homes for a cleaner and more sustainable future

CONTENTS PAGE

Use this button throughout the catalogue to return to the contents page.

Verplas
a Breath of Fresh Air
Product Catalogue



About Us
Page: 3



Rectangular Ducting Range
Pages: 4 - 7



Round Ducting Range
Pages: 8 - 11



Rapid Self-Seal Range
Pages: 12 - 14



Rapid Self-Seal Thermal Range
Pages: 15 - 19



Flexible Hose Range
Pages: 20 - 21



External Grilles Range
Pages: 22 - 25



Internal Valves Range
Pages: 26 - 27




Noise Reduction Range
Pages: 28 - 29



Fire Solutions Range
Pages: 30 - 31



Pre-Packed Kits Range
Pages: 32 - 33



Radial Ducting Range
Pages: 34 - 37



Tile Ventilators Range
Pages: 38 - 39



Ducting Accessories Range
Pages: 40 - 42



Grille Colour Codes
Page: 43



Kit Colour Codes
Pages: 44

Contact and Socials
Pages: 45

OUR MISSION

Improving people's lives by providing fresh air solutions, creating healthier homes for a cleaner and more sustainable future.

OUR VALUES

Innovation and Creativity

Trust, Respect and Support the Team

Open and Honest Two Way Communication

Together we are Commited to Customer Excellence

Inspire, Motivate & Be Positive

Carbon Literate Organisation Bronze

The Carbon Literacy Project
We take sustainability seriously, so much so that we are proud to be accredited as a Bronze Carbon Literate Organisation. We will continue to make improvements to our processes and further educate our team to minimise our environmental impact as much as possible.

Investor in Customers® Silver 2022

Investor in Customers
Our unstoppable team is highly dedicated to providing customer excellence. We have successfully achieved a Silver award through Investor in Customers. We use the feedback obtained through this service to help guide us and further elevate or customer experience.

Verplas
a Breath of Fresh Air

About Us


Established in 1986, we steadily grew into one of the market leading ventilation manufacturers within the UK, known for our quality and innovation. With both extrusion and injection moulding capabilities, we continue to innovate revolutionary products that benefits the end user, the installer and also the suppliers of our products.

Within our catalogue we have a vast range of products, created by our unstoppable team, with both quality and sustainability in mind. We are also BS EN ISO 9001 approved, and we pride ourselves on the high standard of our quality. When you choose Verplas, you are also choosing sustainable methods and materials without compromising quality.We thank you for choosing Verplas and choosing high values, quality, and sustainability. Together we believe we can make a difference through our processes and how it affects the world around us and through the products we produce, Indoor Air Quality is becoming more and more important in people's everyday lives and we are proud to be part of this industry.

We have award winning products that provide the installer with an easy installation method that significantly reduces time on site and minimises air leakage. To find out more, please go to pages 12 and 15. Customer Excellence is one of our core values, with that being said, we would like to welcome you to our latest edition of our catalogue. We have created an interactive catalogue of our core products, so you are able to easily access the technical information by simply clicking on the product code.

If you have any questions or would like to supply Verplas products and place an order, please reach out to our team of experts who will be happy to help. As we do not sell to the general public, we can direct you towards the nearest supplier of our products.

OUR AWARD WINNING SELF-SEAL TECHNOLOGY



- Using our award winning Self-Seal Technology
- Only 1 Installer required
- No tape, sealant or tek screws required

www.Verplas.co.uk Sales@Verplas.co.uk 01202 825898

E&OE: Verplas policy of continuous innovation and improvement, we reserve the right to alter product specification and appearance without prior notice.

www.Verplas.co.uk Sales@Verplas.co.uk 01202 825898

Available Sizes

110 x 54mm

150 x 70mm

180 x 90mm

204 x 60mm

220 x 90mm

234 x 29mm

Click Here to View the Whole Range



RECTANGULAR DUCTING


Range

With sizes from 110x54mm to 234x29mm, we have a whole host of ducting sizes to suit your ducting needs.

With the desire to maximise living space and ceiling height, rectangular ducts are the perfect solution for small ceiling void applications and tight spaces. The Verplas Rectangular Ducting Range is designed to maximise airflow and contribute to lower system resistance.

204x60mm is one of the most popular system sizes used in the market, the low-profile aspect of the system ensures they can be easily concealed where space is restricted whilst still retaining the ability to handle high extraction rates.

Our 110x54mm ducting range provides the perfect solution for traditional fan installations, our high flow 220x90mm ducting offers increased free area to accommodate larger airflow requirements whilst ensuring ceiling installation space is kept to a minimum.






Rectangular Ducting Length

Key Products:

204x60mm Flat Channel x 1m	VKC5604	204
204x60mm Flat Channel x 1.5m	VKC5628	
204x60mm Flat Channel x 2m	VKC5629	
220x90mm Flat Channel x 1m	VKC5704	220
220x90mm Flat Channel x 1.5m	VKC5728	
220x90mm Flat Channel x 2m	VKC5729	

Also Available In:

110x54mm x 1m Flat Channel	VKC249
110x54mm x 1.5m Flat Channel	VKC240
110x54mm x 2m Flat Channel	VKC297
150x70mm x 1m Flat Channel	VKC604
180x90mm x 1m Flat Channel	VKC651
234x29mm x 1m Flat Channel	VKC706
234x29mm x 2m Flat Channel	VKC707



Rectangular 90° Horizontal Bend

Key Products:

204x60mm	VKC5605	204
204x60mm Rapid Self-Seal	VSSC5605	
220x90mm	VKC5705	220
220x90mm Rapid Self-Seal	VSSC5705	

Also Available In:

110x54mm	VKC238
150x70mm	VKC605
180x90mm	VKC654
234x29mm	VKC701



Rectangular Duct Connector

Key Products:

204x60mm	VKC5608	
204x60mm Rapid Self-Seal Duct to Duct	VSSC204DD	204
204x60mm Rapid Self-Seal Duct to Fitting	VSSC204DF	
220x90mm	VKC5708	
220x90mm Rapid Self-Seal Duct to Duct	VSSC220DD	220
220x90mm Rapid Self-Seal Duct to Fitting	VSSC220DF	

Also Available In:

110x54mm	VKC235
150x70mm	VKC608
180x90mm	VKC652
234x29mm	VKC700



Rectangular 90° Vertical Bend

Key Products:

204x60mm	VKC5612	204
220x90mm	VKC5712	220

Also Available In:

110x54mm	VKC239
150x70mm	VKC612
180x90mm	VKC653
234x29mm	VKC710




Rectangular Ducting Support Clip

Key Products:

204x60mm	VKC5610	204

Also Available In:

110x54mm	VKC230
150x70mm	VKC610
180x90mm	VKC664
234x29mm	VKC705



Rectangular 45° Horizontal Bend

Key Products:

204x60mm	VKC5616	204
204x60mm Rapid Self-Seal	VSSC5616	
220x90mm	VKC5716	220
220x90mm Rapid Self-Seal	VSSC5716	

Also Available In:

110x54mm	VKC227
234x29mm	VKC711

DID YOU KNOW?

On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

CLICK HERE!

For technical information, please click the product code




Rectangular 45° Vertical Bend

Key Products:		
204x60mm	VKC5617	204
220x90mm	VKC5717	220
Also Available In:		
110x54mm	VKC226	
234x29mm	VKC709	



Rectangular to Round Adaptor

Key Products:		
204x60mm to 100mmØ	VKC5615	204
204x60mm to 125mmØ	VKC5613	
220x90mm to 150mmØ	VKC5713	220
Also Available In:		
150x70mm to 125mmØ	VKC613	
180x90mm to 150mmØ	VKC650	
234x29mm to 100mmØ	VKC708	



204x60mm & 220x90mm available in our Rapid Self-Seal!

Rectangular T-Piece

Key Products:		
204x60mm	VKC5630	204
204x60mm Rapid Self-Seal	VSSC5630	
220x90mm	VKC5730	220
220x90mm Rapid Self-Seal	VSSC5730	
Also Available In:		
110x54mm	VKC228	



Rectangular Wall Plate

Key Products:		
204x60mm	VKC5601	204
Also Available In:		
110x54mm	VKC206	
150x70mm	VKC601	
180x90mm	VKC657	



Rectangular Elbow Bend Plenum

Key Products:		
204x60mm 100mmØ Spigot	VKC5644	204
204x60mm 125mmØ Spigot	VKC5645	
204x60mm 150mmØ Spigot	VKC5646	
204x60mm 100mmØ Rotating Spigot	VKC5625	
204x60mm 125mmØ Rotating Spigot	VKC5606	
204x60mm 150mmØ Rotating Spigot	VKC5626	
220x90mm 125mmØ Spigot	VKC5706	220
220x90mm 150mmØ Spigot	VKC5726	
Also Available In:		
110x54mm Male - 100mmØ Spigot	VKC237	
110x54mm Female - 100mmØ Spigot	VKC236	
150x70mm 125mmØ Spigot	VKC606	
234x29mm 100mmØ Spigot	VKC702	



Rectangular Airbrick Adaptor

Key Products:		
204x60mm Double with Grilles	VKC5633G	204
204x60mm Single with Grilles	VKC5631	
220x90mm Double	VKC5733	220
220x90mm Reducer	VKC5756	
220x90mm Double with Grilles	VKC5733G	
Also Available In:		
110x54mm	VKC247	
110x54mm Single with Grilles	VKC247G	

DID YOU KNOW?

Some of our products are also made in our Rapid Self-Seal range, complete with our integrated self-seal technology. Click the button below to find out more.

CLICK HERE!

For technical information, please click the product code



Rectangular Flexible Bend

Key Products:

204x60mm	VKC5627	204
220x90mm	VKC5727	220

Also Available In:

110x54mm	VKC229
150x70mm	VKC627
180x90mm	VKC676



Rectangular Cross Over Duct

Key Products:

204x60mm	VKC5653	204




Rectangular Adaptor

Key Products:

204x60mm to 220x90mm	VKC5643	204

For technical information, please click the product code



Our Cross Over Duct Connector enables Installers to bypass obstacles whilst minimising resistance.



Why do this?

- More Cuts
- More Materials
- Awkward
- Stressful
- More Mess



When you can do this?

- Fewer Cuts
- Fewer Materials
- Less Awkward
- Less Stress
- Less Mess

DID YOU KNOW?

Our extruded ducting is created using high quality, recycled windows and door frames; saving thousands of tonnes of waste plastic from going to landfill!



Available Sizes

100mmØ

125mmØ


150mmØ


Click Here to View the Whole Range

ROUND DUCTING Range

Our round low resistance ducting systems are available in 100mm, 125mm and 150mm diameters to suit standard mechanical ventilation systems.
Supplied in 1m, 1.5m and 2m lengths this diverse product range is perfect for all ventilation strategies due to the fact that it is available with a full range of fittings to ease the overall installation process.

The round ducting systems are traditionally used alongside fans or mechanical heat recovery systems with an extensive range of fittings, outlets and grilles.





Round Pipe

Key Products:

125mmØ x 350mm	VKC266
125mmØ x 1m	VKC267
125mmØx 1.5m	VKC269
125mmØ x 2m	VKC2692

Also Available In:

100mmØ x 350mm	VKC242
100mmØ x 1m	VKC250
100xmmØ x 1.5m	VKC299
100mmØ x 2m	VKC2992
150mmØ x 350mm	VKC660
150mmØ x 1m	VKC670
150mmØ x 1.5m	VKC671
150mmØ x 2m	VKC673



Round Connector with Damper

Key Products:

125mmØ	VKC353

Also Available In:

100mmØ	VKC303
150mmØ	VKC363



Round Telescopic Pipe

Key Products:

125mmØ	VKC357

Also Available In:


100mmØ	VKC307
150mmØ	VKC367



Round Pipe Fixing Clip

Key Products:

100mmØ, 125mmØ, 150mmØ	UNIVERSAL-PIPE-CLIP



Round Connector

Key Products:

125mmØ	VKC355
125mmØ Rapid Self-Seal Pipe to Pipe	VSSC125PP
125mmØ Rapid Self-Seal Pipe to Fitting	VSSC125PF

Also Available In:

100mmØ	EK0028
150mmØ	VKC365

125mmØ available in our Rapid Self-Seal!



Round 90° Bend

Key Products:

125mmØ	VKC350
125mmØ Rapid Self-Seal	VSSC350

Also Available In:

100mmØ	VKC300
150mmØ	VKC360

125mmØ available in our Rapid Self-Seal!

DID YOU KNOW?

Our Universal Pipe Clip is very easy to install, please click the button below to view a 4 step guide on how to install it.

For technical information, please click the product code

Round 45° Bend



Key Products:

125mmØ	VKC351
125mmØ Rapid Self-Seal	VSSC351

Also Available In:

100mmØ	VKC301
150mmØ	VKC361

Round Hose Connector



Key Products:

125mmØ	VKC271

Also Available In:

100mmØ Male	VKC10
100mmØ Female	VKC11
150mmØ	VKC659

Round T-Piece



Key Products:

125mmØ	VKC352
125mmØ Rapid Self-Seal	VSSC352

Also Available In:

100mmØ	VKC302
150mmØ	VKC362

Round Hose End



Key Products:

100mmØ to 80mmØ	EK0082

Round Wall Plate



Key Products:

125mmØ	VKC618

Also Available In:

100mmØ	VKC19
150mmØ	VKC661

Round Reducer



Key Products:

100mmØ to 125mmØ	VKC603
125mmØ to 150mmØ	VKC619
125mmØ Offset	VKC621

Also Available In:

100mmØ to 150mmØ	VKC437
150mmØ to 200mmØ	VKC436
150mmØ to 180mmØ Metal	VKC678

DID YOU KNOW?

We also use recycled parts from old fridge freezers to make our connectors; saving plastics from entering landfill.



For technical information, please click the product code



Condensation Trap

Key Products:

125mmØ VKC445

Also Available In:

100mmØ VKC434

DID YOU KNOW?

Our unstoppable team are continuosly working hard to ensure all our products meet the high standards we believe our customers deserve.



ASSOCIATED PRODUCTS

Please click the images below to go to associated product ranges for the Round Ducting Range.

FIRE



Our Fire Solutions Range include Intumescent fire sleeves, as pictured here, fire rated airbricks, fire rated air valves and accessories.

GRILLES



We have a vast range of external grilles, with a great choice of style, size and colour to suit your specific ventilation needs.

VALVES



Our Valve range is available in a selection of sizes and finishes to suit your ventilation requirements, whilst being aesthetically pleasing.

HOSES



Our hose range consists of multiple hose types across a vast range of sizes to suit the specific requirements.

For technical information, please click the product code

Available Sizes

125mmØ

204x60mm

220x90mm

Click Here to View the Whole Range


RAPID

][SELF-SEAL][

Our award winning Rapid Self-Seal range is complete with our patented protected self-seal technology, enabling a consistent seal that minimises air loss and removes the need for tek screws, sealant and tape. The self-seal technology means the installation process only requires one Installer and is significantly faster than using traditional installation methods.

We have a selection of our most used products available in fully integrated products, for those not yet available we have bridging components compatable with our 125mmØ round and 204x60mm and 220x90mm rectangular range.

Complete with our integrated Self-Seal Technology!



Quick and easy to install!

No need for tape, screws or sealant to connect the ducts!

We believe in it so much, we put it to the test against traditional methods. Click this button to see how we got on.





Duct to Duct Connector

Key Products:

204x60mm Rapid Self-Seal	VSSC204DD
220x90mm Rapid Self-Seal	VSSC220DD



Rectangular 45° Horizontal Bend

Key Products:

204x60mm Rapid Self-Seal	VSSC5616
220x90mm Rapid Self-Seal	VSSC5716



Duct to Fitting Connector

Key Products:

204x60mm Rapid Self-Seal	VSSC204DF
220x90mm Rapid Self-Seal	VSSC220DF



Rectangular T-Piece

Key Products:

204x60mm Rapid Self-Seal	VSSC5630
220x90mm Rapid Self-Seal	VSSC5730



Rectangular 90° Horizontal Bend

Key Products:


204x60mm Rapid Self-Seal	VSSC5605
220x90mm Rapid Self-Seal	VSSC5705

For technical information, please click the product code

DID YOU KNOW?

Our Rapid Self-Seal range is over twice as fast to install when using 1 Installer, compared to using traditional ducting with two Installers. This was shown in a recent demonstration. Click the button below to find out more

In a recent demonstration our Rapid Self-Seal was at least twice as fast to install with one installer than traditional screw and glue method using two installers!



Our patented Self-Seal Technology enables a quick and easy fit!

The Self-Seal Technology enables a consistent seal, giving both installers and end users the peace of mind of a ventilation system with minimal air loss.



Pipe to Pipe Connector

Key Products:

125mmØ Rapid Self-Seal VSSC125PP



Round 45° Bend

Key Products:

125mmØ Rapid Self-Seal VSSC351



Pipe to Fitting Connector

Key Products:

125mmØ Rapid Self-Seal VSSC125PF



Round T-Piece

Key Products:

125mmØ Rapid Self-Seal VSSC352



Round 90° Bend

Key Products:


125mmØ Rapid Self-Seal VSSC350

For technical information, please click the product code

DID YOU KNOW?

On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

CLICK HERE!



www.Verplas.co.uk Sales@Verplas.co.uk 01202 825898

Available Sizes

204x60mm


220x90mm

125mmØ

160mmØ

Click Here to View the Whole Range

It's as simple as...



RAPID

][SELF-SEAL][


THERMAL

This is our award winning Rapid Self-Seal Thermal range, a combination of graphite impregnated polystyrene and our patented self-seal technology. This powerful combination provides the end user with a highly efficient thermal ventilation system.

Our self-seal technology minimises air loss by creating a consistent seal around the ductwork, giving installers and homeowners the peace of mind of a high quality ventilation system.

An easy system to install, that can be installed just using one Installer.
Saving signifcant time on installation when compared to mineral wool.

We believe in it so much, we put it to the test against traditional methods! Click this button to see how we got on!






Rectangular Ducting Length

Key Products:

204x60mm x 1m	SST-204-1M-IND
204x60mm x 2m	SST-204-2M-IND
220x90mm x 1m	SST-220-1M-IND
220x90mm x 2m	SST-220-2M-IND



Rectangular 90° Horizontal Bend


Key Products:

204x60mm	SST-204-90HB-IND
220x90mm	SST-220-90HB-IND

DID YOU KNOW?

In 2017 Verplas won Best Services Product with the prestigious House Builder Awards for their Rapid Self-Seal Thermal Range.


?



Duct to Duct Connector

Key Products:

204x60mm	SST-204-DDCON
220x90mm	SST-220-DDCON



Rectangular 45° Horizontal Bend

Key Products:


204x60mm	SST-204-45HB-IND
220x90mm	SST-220-45HB-IND



Duct to Fitting Connector

Key Products:

204x60mm	SST-204-DFCON
220x90mm	SST-220-DFCON




Rectangular 90° Vertical Bend

Key Products:

204x60mm	SST-204-90VB-IND
220x90mm	SST-220-90VB-IND


For technical information, please click the product code



Rectangular 45° Vertical Bend

Key Products:


204x60mm	SST-204-45VB-IND
220x90mm	SST-220-45VB-IND



Rectangular to Round Adaptor

Key Products:


204x60mm to 125mmØ	SST-204-125ADAP-IND
220x90mm to 160mmØ	SST-220-160ADAP-IND



Rectangular T-Piece

Key Products:

204x60mm	SST-204-TP-IND
220x90mm	SST-220-TP-IND




Rectangular Elbow Bend Plenum

Key Products:

204x60mm to 125mmØ	SST-204-PL-IND
220x90mm to 125mmØ	SST-220-PL-IND
220x90mm to 160mmØ	SST-220-PL-160-IND

Graphite impregnated polystyrene enabling thermal properties that exceed regulations

Complete with our integrated Self-Seal Technology!



No need for tape, screws or sealant when connecting the ducts

DID YOU KNOW?

On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

CLICK HERE!

For technical information, please click the product code


RAPID

][SELF-SEAL][

THERMAL

RECTANGULAR

Round Pipe



Key Products:

125mmØ x 1m	SST-125-1M-IND
125mmØ x 2m	SST-125-2M-IND

Also Available In:

160mmØ x 1m	SST-160-1M-IND
160mmØ x 2m	SST-160-2M-IND

Round 90° Bend



Key Products:

125mmØ	SST-125-90B-IND

Also Available In:

160mmØ	SST-160-90B-IND

Duct to Duct Connector



Key Products:

125mmØ	SST-125-DDCON

Also Available In:

160mmØ	SST-160-DDCON

Round 45° Bend



Key Products:

125mmØ	SST-125-45B-IND

Also Available In:

160mmØ	SST-160-45B-IND

Duct to Fitting Connector



Key Products:

125mmØ	SST-125-DFCON

Also Available In:

160mmØ	SST-160-DFCON

Round T-Piece



Key Products:

125mmØ	SST-125-TP-IND


Also Available In:

160mmØ	SST-160-TP-IND

DID YOU KNOW?

In a recent demonstration it was almost 3 times faster to install our ThermalDducting using one Installer, compared to 2 Installers using mineral wool!

For technical information, please click the product code



Rectangular to Round Adaptor


Key Products:

204x60mm to 125mmØ	SST-204-125ADAP-IND
220x90mm to 160mmØ	SST-220-160ADAP-IND



DID YOU KNOW?
Our award winning Rapid Self-Seal Thermal Range, not only is it super easy to install it also out performs mineral wool & aluminium bubble wrap.


?



Rectangle Elbow Bend Plenum

Key Products:

204x60mm to 125mmØ	SST-204-PL-IND
220x90mm to 125mmØ	SST-220-PL-IND
220x90mm to 160mmØ	SST-220-160PL-IND





Thermal 160mmØ Adaptor

Key Products:

160mmØ to 150mmØ	SST-160-ADAPTOR


For technical information, please click the product code

RAPID
[SELF-SEAL]
THERMAL
ROUND

Available Sizes

- 82mmØ
- 102mmØ
- 127mmØ
- 133mmØ
- 152mmØ
- 203mmØ
- 254mmØ
- 110x54mm
- 150x70mm
- 204x60mm
- 220x90mm


Click Here to View the Whole Range



FLEXIBLE HOSES Range

Within our flexible hose range we offer a wide range of solutions depending on the need of the individual project. With a range of white PVC, insulated and rectangular hoses and much more.

Our range of flexible hoses give installers many choices along with multiple options of both diameter and length.





White PVC Flexible Hoses

Key Products:

100mmØ x 1m	WPVC102X1	100
100mmØ x 3m	WPVC102X3	
100mmØ x 6m	WPVC102X6	
100mmØ x 15m	WPVC102X15	
100mmØ x 45m	WPVC102X45BOX	
133mmØ x 1m	WPVC133X1	133
133mmØ x 3m	WPVC133X3	
133mmØ x 6m	WPVC133X6	
133mmØ x 15m	WPVC133X15	

Also Available In:

152mmØ x 1m	WPVC152X1
152mmØ x 3m	WPVC152X3
152mmØ x 6m	WPVC152X6



Flexible Combi Hoses

Key Products:

102mmØ x 6m	COM102X6	102
127mmØ x 6m	COM127X6	127

Also Available In:

152mØ x 6m	COM152X6




Grey PVC Flexible Hoses

Key Products:

102mmØ x 6m	GPVC102X6	102
102mmØ x 10m	GPVC102X10	
127mmØ x 6m	GPVC127X6	127
127mmØ x 10m	GPVC127X10	

Also Available In:

82mmØ x 6m	GPVC82X6
152mmØ x 6m	GPVC152X6
152mmØ x 10m	GPVC152X10
203mmØ x 6m	GPVC203X6



Flexible Insulated Hoses

Key Products:

102mmØ x 5m Insulated Aluminium	INS102x5	102
102mmØ x 10m Insulated Aluminium	INS102x10	
102mmØ x 10m Acoustic/ Sono	SONO102X10	
127mmØ x 5m Insulated Aluminium	INS127x5	127
127mmØ x 10m Insulated Aluminium	INS127x10	
127mmØ x 10m Acoustic/ Sono	SONO127X10	

Also Available In:

152mmØ x 5m	INS152X5
152mmØ x 10m	INS152X10
152mmØ x 10m	SONO152X10



Flexible & Semi Rigid Aluminium Hoses

Key Products:

102mmØ x 10m Flexible Aluminium	ALUM102X10	102
102mmØ x 1.5m Semi-Rigid Aluminium	A1.5MS/R102	
102mmØ x 3m Semi-Rigid Aluminium	A3MS/R102	
127mmØ x 10m Flexible Aluminium	ALUM127X10	127

Also Available In:

82mmØ x 10m Flexible Aluminium	ALUM82X10
152mmØ x 10m Flexible Aluminium	ALUM152X10



Rectangular Flexible Hoses

Key Products:

204x60mm x 3m PVC	WPVC206X62REC	204
204x60mm x 6m Combi	COMR204X6	
220x90mm x 3m PVC	WPVC220X90REC	220

Also Available In:

110x54mm x 3m PVC	WPVC110X55REC
150x70mm x 3m PVC	WPVC150X69REC

Our Flexible Hoses range is compatible with the Verplas Round Ducting Range, to view the full range, please click the button below.

CLICK HERE!

For technical information, please click the product code

Available Sizes

100mmØ

125mmØ

150mmØ

160mmØ


110x54mm

204x60mm

220x90mm

234x29mm


Click Here to View the Whole Range



EXTERNAL GRILLES Range

Our range of external grilles are designed to suit many applications. We offer a range of styles and sizes including louvres grilles, airbricks, gravity grilles and cowl vents as well as a range of stainless steel products including bullnose vents and much more.

Within this range, where multiple colours are available the full list of codes will be displayed on page 44. RAL numbers are also diplayed on page 25.



Louvre Grille



Key Products:

100mmØ	VKC244
125mmØ	VKC268

Also Available In:

150mmØ	VKC275
110x54mm	VKC233

Gravity Outlet



Key Products:

100mmØ	VKC243
125mmØ	VKC270

Also Available In:

150mmØ	VKC292
110x54mm	VKC231

DID YOU KNOW?

We have grilles in multiple colours and sizes.
To view all the colour and size codes, please click the button below.

CLICK HERE!

Louvre Grille with Flyscreen



Key Products:

100mmØ	VKC244F/S
125mmØ	VKC268F/S

Also Available In:

150mmØ	VKC275F/S
110x54mm	VKC233F/S

Round Facia Louvre Grille



Key Products:

100mmØ	VKC256
125mmØ	VKC617

Cowl with Non Return Flap



Key Products:

100mmØ	VKC245
125mmØ	VKC289

Also Available In:

150mmØ	VKC280
110x54mm	VKC232

Stainless Steel Bull Nose Louvre



Key Products:

100mmØ	SS100
125mmØ	SS120

Also Available In:

150mmØ	SS150

For technical information, please click the product code



Stainless Steel Bull Nose Wire

Key Products:

100mmØ	SS101
125mmØ	SS121

Also Available In:

150mmØ	SS151
160mmØ	SS161



Single Airbrick Adaptor

Key Products:

204x60mm	VKC5608G

Also Available In:

110x54mm	VKC247



Stainless Steel Cowl with Flap

Key Products:

100mmØ	SS103
125mmØ	SS123

Also Available In:

150mmØ	SS153



Single Airbrick with Grille

Key Products:

204x60mm	○●●●●●	VKC5631
204x60mm with Surround	○●●●	VKC5635

Also Available In:

150x70mm	○●●●	VKC616R
180x90mm	○●	VKC662



Stainless Steel Gravity Outlet

Key Products:

100mmØ	SS102
125mmØ	SS122

Also Available In:

150mmØ	SS152



Double Airbrick Adaptor

Key Products:

204x60mm	VKC5633
220x90mm	VKC5733

DID YOU KNOW?

On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

CLICK HERE!

For technical information, please click the product code



Double Airbrick with Grilles

Key Products:

204x60mm	VKC5633G
220x90mm	VKC5733G

Also Available In:

234x29mm	VKC712G



Fire Rate Airbricks

Key Products:

204x60mm (Single Airbrick)	FAB204X60X400
204x60mm (Double Airbrick)	FAB204X128X400
220x90mm to 204x60mm Transition Airbrick	FAB220X90W



Airbrick Grille

Key Products:

For both Single & Double Airbrick Adaptors VKC704




Airbrick Grille with Surround

Key Products:

For Airbrick Adaptor VKC247 & VKC5608G VKC714

For technical information, please click the product code

RAL NUMBERS



DID YOU KNOW?

Buildings over 18m in height require fire rate grilles

?

www.Verplas.co.uk Sales@Verplas.co.uk 01202 825898

Available Sizes


100mmØ

125mmØ

150mmØ

160mmØ


Click Here to View the Whole Range



INTERNAL VALVES Range

Our Range of Internal Valves are available in white or stainless steel, both stylish and discrete. Due to their unobtrusive nature the valves work to provide a quality finish within your new or existing home.

Once installation is complete, the valves are tamper proof but fully adjustable and commissionable with a full locking mechanism. Available in supply, extract and multi-purpose options the valves are designed to suit every installation.





Internal Extract Steel Air Valve

Key Products:

100mmØ	MW104
125mmØ	MW124

Also Available In:

150mmØ	MW154
200mmØ	MW204



Universal Stainless Steel Air Valve

Key Products:

100mmØ	SS104
125mmØ	SS124

Also Available In:

150mmØ	SS154



Internal Supply Steel Air Valve

Key Products:

100mmØ	MW105
125mmØ	MW125

Also Available In:

150mmØ	MW155
200mmØ	MW205



Fire Rated Steel Air Valves

Key Products:

100mmØ Extract Valve	MW104FRE
100mmØ Supply Valve	MW105FRS
125mmØ Extract Valve	MW124FRE
125mmØ Supply Valve	MW125FRS

Also Available In:

150mmØ Extract Valve	MW154FRE
150mmØ Supply Valve	MW155FRS
200mmØ Extract Valve	MW204FRE
200mmØ Supply Valve	MW205FRS



Internal Universal Plastic Air Valve

Key Products:

100mmØ	VKC306F
125mmØ	VKC356F

Also Available In:

150mmØ	VKC366F

For technical information, please click the product code

DID YOU KNOW?

Our range of internal Valves is compatible with the Roud Verplas Ducting Range. To view the full Round Ducting Range, please click the button below

CLICK HERE!

www.Verplas.co.uk Sales@Verplas.co.uk 01202 825898

Available Sizes

204x60mm

220x90mm

Click Here to View the Whole Range

NOISE SOLUTIONS

Range

Our high flow attenuators allow flexibility for designers to choose the right noise solutions to best suit their needs, this can assist in preventing external noise ingress transmitting through the ventilation duct and limit cross talk between rooms. The full range of Verplas Noise Solutions are anti – corrosive, lightweight, building regulation driven and easy to install.








0.5m Rectangular Duct Silencer

Key Products:

204x60mm	VKC5660
204x60mm Hi-Flow	VKC5663
220x90mm	VKC5760



Sono Flexible Hoses

Key Products:

102mmØ x 10m Acoustic/ Sono	SONO102X10
127mmØ x 10m Acoustic/ Sono	SONO127X10

Also Available In:

152mmØ x 10m	SONO152X10



1m Rectangular Duct Silencer

Key Products:

204x60mm	VKC5661
204x60mm Hi-Flow	VKC5664
220x90mm	VKC5761



1.5m Rectangular Duct Silencer

Key Products:

204x60mm	VKC5662
204x60mm Hi-Flow	VKC5665
220x90mm	VKC5762



DID YOU KNOW?

Our Noise Solution Range is designed to reduce fan noise and sound transferance between rooms.

?

For technical information, please click the product code

www.Verplas.co.uk Sales@Verplas.co.uk 01202 825898

Available Sizes

100mm

125mm

204x60mm

220x90mm

Click Here to View the Whole Range





FIRE SOLUTIONS

Range


Verplas provides a complete range of Fire Solutions suitable for all applications and modern building designs. With an increase in system ventilation the need for fire solutions is ever increasing and that's why our range of products are manufactured to the highest standard and independently tested.

We have a range of intumescent firesleeves along with fire rated airbricks,





Rectangular Fire Sleeve



Key Products:

204x60mm	QRS204/60SS
220x90mm	QRS220/90SS

Also Available In:

110x54mm	QRS110/54SS

Fire Safe Metal Airbricks



Key Products:

204x60mm (Single Airbrick)	FAB204X60X400
204x60mm (Double Airbrick)	FAB204X128X400
220x90mm to 204x60mm Transition Airbrick	FAB220X90W

Round Fire Sleeve



Key Products:

125mmØ	QRS130

Also Available In:

75mmØ Radial	QRS75
100mmØ	QRS100

Intumescent Fire Rated Sealant



Key Products:

Intumescent Fire Rated Sealant	INT01

Fire Rate Steel Air Valve



Key Products:

100mmØ Extract Valve	MW104FRE
100mmØ Supply Valve	MW105FRS
125mmØ Extract Valve	MW124FRE
125mmØ Supply Valve	MW125FRS

Also Available In:

150mmØ Extract Valve	MW154FRE
150mmØ Supply Valve	MW155FRS
200mmØ Extract Valve	MW204FRE
200mmØ Supply Valve	MW205FRS

DID YOU KNOW?

Fire solutions are required when duct work penetrates fire barriers

?

For technical information, please click the product code

www.Verplas.co.uk Sales@Verplas.co.uk 01202 825898

Available Sizes

100mmØ

125mmØ

150mmØ

204x60mm

220x90mm


Click Here to View the Whole Range



PREPACKED KITS Range

The Verplas Cooker and Tumble Dryer Kits are designed specifically for wholesalers due to their feasibility for over the counter trade sales. The kits work effectively for plumbing and heating contractors working with installing kitchens and tumble driers. The range comprises of multiple options that are available to suit all applications, yet all achieve the same end result of ensuring installation runs smoothly.









Through the Wall Kits

Key Products:

100mmØ Round Internal Ventilator	VVK200
100mmØ Telescopic Outlet Set	VVK223



Tumble Dryer Kits

Key Products:

Indoor Tumble Dryer Venting Kit	VVK675P



Cooker Hood Kits

Key Products:

100mmØ 1m with Gravity Outlet Kit	VVK224
125mmØ 1m with Adaptor to 100mmØ Round Kit	VVK520
125mmØ 1m with Gravity Outlet Kit	VVK225
125mmØ 1m with Cowl Outlet Kit	VVK265
204x60mm Rectangular 3m with Airbrick & Horizontal Bend Kit	VVK5650

Also Available In:

150mm Round x 1m Flexible Cooker Hood Kit	VVK669
180x90mm Rectangular 3m with Airbrick & Horizontal Bend Kit	VVK668
110x54mm Rectangular x 3m Long with Cowl Outlet Kit	VVK312W
110x54mm Rectangular x 3m with Cowl & Horizontal Bend Kit	VVK483
150x70mm Rectangular x 3m with Airbrick, Horizontal Bend & Reducer to 100mmØ Kit	VVK316A

For technical information, please click the product code

ENQUIRE TODAY

Can't see what you are looking for? Reach out to our team of experts who will be happy to help you.

CALL US

www.Verplas.co.uk Sales@Verplas.co.uk 01202 825898


Available Sizes


75mmØ

Click Here to View the Whole Range

RADIAL DUCTING

Simple, hygienic and easy to install, Verplas Radial ducting systems provide installers with a vast range of 75mmØ ducting ancillaries for the complete Mechanical Ventilation Heat Recovery installation. Fully SAP tested, the range is a perfect fit for new build projects. Air Distribution Plenums within the range provide both designers and installers with the flexibility to choose a system that is suited to their individual design needs. The 75mmØ enables installers to thread the ducting through the building.





Radial Ducting Roll

Key Products:

75mmØ Ducting Roll x 50m VR75-DUCT-50M



Radial Duct to Duct Connector

Key Products:

75mmØ Round Connector VR75-DUCT-CON

DID YOU KNOW?

The Radial Ducting is internally anti bacterial to prevent the build up of contaminents on the inside of the ducting.

?



Radial Ducting Cutter

Key Products:

Radial Ducting Cutter VR75-CUTTER



Radial Plenum

Key Products:

75mmØ Plenum 125mm spigot VR75-DUCT-PL



Radial Ducting Clamp

Key Products:

75mmØ Ducting Clamp VR75-DUCT-CLAMP



Radial 90° Bend

Key Products:

75mmØ Round 90° Bend VR75-90-BEND

For technical information, please click the product code


Radial End Cap



Key Products:

75mm Round End Cap	VR75-END-CAP


6 Port Manifold Box



Key Products:

6 Port Manifold Box	VR75-MAN-6


Radial Insulated Sleeve



Key Products:

75mmØ Insulated Sleeve x 10m	VR75-DUCT-INS

10 Port Manifold Box



Key Products:

10 Port Manifold Box	VR75-MAN-10

Radial Ducting Fire Sleeve



Key Products:

75mmØ Fire Sleeve for Radial duct	QRS75

10 Port Horizontal Manifold Box



Key Products:

10 Port Manifold Horizontal Box	VR75-MAN10H

DID YOU KNOW?

On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

CLICK HERE!

For technical information, please click the product code


10 Port Manifold Box Rectangular Input



Key Products:

10 Port Manifold Box 220x90mm Rectangular Input VR75-MAN-10R

14 Port Manifold Box




Key Products:


14 Port Manifold Box VR75-MAN-14

For technical information, please click the product code





The 75mmØ ducting can easily be threaded through the building connected to each room using Verplas designed manifold boxes and plenums.



DID YOU KNOW?

Inside the Manifold boxes is acoustic foam that reduces noise

?

RADIAL DUCTING

Available Sizes


100mmØ


125mmØ

150mmØ

Click Here to View the Whole Range








TILE VENTILATORS Range

The Verplas Tile Ventilator range offers designers a high, free area to maintain a low ventilation system pressure, allowing for greater flexibility when selecting a Heat Recovery Extract System. Our tile ventilators are designed to fit seamlessly into the roof profile and blend with the chosen slate covering, making for easy installation.



Brown Tile Roof Vent

Key Products:

Tile Roof Vent 100 - 150mmØ Brown TILEVENT-BR



Grey Tile Roof Vent

Key Products:

Tile Roof Vent 100 - 150mmØ TILEVENT-GRY



Grey Slate Roof Vent

Key Products:

Slate Roof Vent 100 - 150mmØ Grey SLATEVENT-GREY

For technical information, please click the product code



DID YOU KNOW?

It's vital to prolong the life of your entire roofing system. Poor ventilation can result in ongoing mold issues and water damage.

?

Low profile design, making it unobtrusive on the roof line.

Easy installation and interlocking with adjacent slates or tiles



Large free area of 20,000mm² for high flow system performance.



VKC619 - 150mmØ to 125mmØ Reducer





VKC603 - 125mmØ to 100mmØ

Perfect solution for Heat Recovery Systems to ensure maximum efficiency



www.Verplas.co.uk Sales@Verplas.co.uk 01202 825898

Available Sizes

Variable Sizes Available

Click Here to View the Whole Range



DUCTING ACCESSORIES

Range

The Verplas Ducting Accessories range provides installers with multiple components that are needed for an efficient and fast ventilation installation.
Our Universal Pipe Clip is the latest addition to this range, suitable for our 100mmØ, 125mmØ and 150mmØ round ducting range, the pipe clip itself is created from recycled materials. This is part of our effort to reduce waste from going to landfill.



DID YOU KNOW?

Galvanised banding is often used as an alternative to pipe and duct clips.

CLICK HERE!

Metal Hose Clips



Key Products:

55 - 170mmØ	VKC262
100mmØ	VKC264
125mmØ	VKC611

Also Available In:

80mmØ	VKC261
150mmØ	VKC674
200mmØ	VKC440

Galvanised Banding Reels



Key Products:

12mm x 10m	BANDGALV
12mm x 10m PVC Coated	BANDPB

PVC Ducting Sealing Tapes



Key Products:

19mm wide x 4.6m	EK151
50mm wide x 4.6m	EK152
50mm wide x 33m	VKC273


Duct Sealants



Key Products:

Intumescent Fire Rated Sealant	INT01
Acrylic Duct Sealant	INT02

Aluminium Sealing Tapes



Key Products:

50mm x 45m	VKC274

Round Wall Plates



Key Products:

100mmØ	VKC19
125mmØ	VKC618

Also Available In:

150mmØ	VKC661

For technical information, please click the product code



Rectangular Wall Plates

Key Products:

204x60mm	VKC5601

Also Available In:

110x54mm	VKC206
150x70mm	VKC601
180x90mm	VKC657



Universal Pipe Clip


Key Products:

100mmØ, 125mmØ, 150mmØ	UNIVERSAL-PIPE-CLIP

For technical information, please click the product code

INSTALL IN JUST 4 EASY STEPS

UNIVERSAL PIPE CLIP



1 2 3 4

Click the play button for a quick 4 step installation guide on our YouTube Channel

DID YOU KNOW?

The main fitting itself within the Universal Pipe Clip is created from recycled materials. We are using every opportunity we can to help reduce waste from going to landfill.

GRILLE COLOUR CODES

Product Description	Product Code
Sys100: Gravity Grille Brown Rectangular Spigot (110x54)	VKC231BROWN
Sys100: Gravity Grille Beige Rectangular Spigot	VKC231BEIGE
Sys100: Gravity Grille Terracotta Rectangular Spigot (110x54)	VKC231TERRACOTTA
Sys100: Gravity Grille White Rectangular Spigot (110x54)	VKC231WHITE
Sys100: Cowl Grille Brown Rectangular Spigot (110x54)	VKC232BROWN
Sys100: Cowl Grill Beige Rectangular Spigot	VKC232BEIGE
Sys100: Cowl Grille Terracotta Rectangular Spigot (110x54)	VKC232TERRACOTTA
Sys100: Cowl Grille White Rectangular Spigot (110x54)	VKC232WHITE
Sys100: Louvred Grille Brown Rectangular Spigot (110x54)	VKC233BROWN
Sys100: Louvred Grille Beige Rectangular Spigot (110x54)	VKC233BEIGE
Sys100: Louvred Grille Beige Rec Spigot & Flyscreen (110x54)	VKC233BEIGEFS
Sys100: Louvred Grille Brown Rec Spigot & Flyscreen (110x54)	VKC233BROWNFS
Sys100: Louvred Grille Terracotta Rectangular Spigot(110x54)	VKC233TERRACOTTA
Sys100: Louvred Grille Terracotta Rec Spigot & Flyscreen	VKC233TERRACOTTAFS
Sys100: Louvred Grille White Rectangular Spigot (110x54)	VKC233WHITE
Sys100: Louvred Grille White Rec Spigot & Flyscreen (110x54)	VKC233WHITEFS
Sys100: Gravity Grille Brown Round Spigot	VKC243BROWN
Sys100: Gravity Grille Beige Round Spigot	VKC243BEIGE
Sys100: Gravity Grille Black Round Spigot	VKC243BLACK
Sys100: Gravity Grille Round Spigot - Green	VKC243GREEN
Sys100: Gravity Grille Terracotta Round Spigot	VKC243TERRACOTTA
Sys100: Gravity Grille White Round Spigot	VKC243WHITE
Sys100: Louvred Grille Brown Round Spigot	VKC244BROWN
Sys100: Louvred Grille Beige Round Spigot & Flyscreen	VKC244BEIGEFS
Sys100: Louvred Grille Beige Round Spigot	VKC244BEIGE
Sys100: Louvred Grille Brown Round Spigot & Flyscreen	VKC244BROWNFS
Sys100: Louvred Grille Black Round Spigot	VKC244BLACK
Sys100: Louvred Grille Black Round Spigot & Flyscreen	VKC244BLACKFS
Sys100: Louvred Grille Grey (RAL 7016) Round Spigot	VKC244GREY
Sys100: Louvred Grille Grey RAL7016 Round Spigot F/S	VKC244GREYFS
Sys100: Louvred Grille Terracotta Round Spigot	VKC244TERRACOTTA
Sys100: Louvred Grille Terracotta Round Spigot & Flyscreen	VKC244TERRACOTTAFS
Sys100: Louvred Grille White Round Spigot	VKC244WHITE
Sys100: Louvred Grille White Round Spigot & Flyscreen	VKC244WHITEFS
Sys100: Cowl Grille Brown Round Spigot	VKC245BROWN
Sys100: Cowl Grille Beige Round Spigot	VKC245BEIGE
SYS100: Cowl Grille Black Round Spigot	VKC245BLACK
Sys100: Cowl Gravity Grille 4" Grey	VKC245GREY
Sys100: Cowl Grille Terracotta Round Spigot	VKC245TERRACOTTA
Sys100: Cowl Grille White Round Spigot	VKC245WHITE
Sys100: Airbrick Adaptor c/w Brown Grille (110x54)	VKC247GBROWN
Sys100: Airbrick Adaptor c/w Beige Grille (110X54)	VKC247GBEIGE
Sys100: Airbrick Adaptor c/w Terracotta Grille (110x54)	VKC247GTERRACOTTA
Sys100: Airbrick Adaptor c/w White Grille (110x54)	VKC247GWHITE
Sys100: Round Grille White (100) c/w flyscreen	VKC256WHITE
Sys100: Round Grille Brown (100)	VKC256BROWN
Sys100: Round Grille Beige (100)	VKC256BEIGE
Sys125: Louvred Grille White Round Spigot	VKC268WHITE
Sys125: Louvred Grille Brown Round Spigot	VKC268BROWN
Sys125:Louvred Grille Beige Round Spigot & Flyscreen	VKC268BEIGEFS
Sys125: Louvred Grille Beige Round Spigot	VKC268BEIGE
Sys125:Louvred Grille Brown Round Spigot & Flyscreen	VKC268BROWNFS
Sys125: Louvred Grille Black Round Spigot	VKC268BLACK
Sys125: Louvred Grille Black Round Spigot & Flyscreen	VKC268BLACKFS
Sys125: Louvred Grille White Round Spigot & Flyscreen	VKC268WHITEFS
Sys125: Louvred Grille Terracotta Round Spigot	VKC268TERRACOTTA
Sys125: Louvred Grille Terracotta Round Spigot & Flyscreen	VKC268TERRACOTTAFS
Sys125: Gravity Grille Brown Round Spigot	VKC270BROWN
Sys125: Gravity Grille Beige Round Spigot	VKC270BEIGE
Sys125: Gravity Grille Black Round Spigot	VKC270BLACK
Sys125: Gravity Grille Terracotta Round Spigot	VKC270TERRACOTTA
Sys125: Gravity Grille White Round Spigot	VKC270WHITE
Sys150: Louvred Grille White Round Spigot	VKC275WHITE
Sys150: Louvred Grille Brown Round Spigot	VKC275BROWN
Sys150: Louvred Grille Beige Round Spigot	VKC275BEIGE
Sys150: Louvred Grille Beige Round Spigot & Flyscreen	VKC275BEIGEFS
Sys150: Louvred Grille Brown Round Spigot & Flyscreen	VKC275BROWNFS

Product Description	Product Code
Sys150: Louvred Grille Black	VKC275BLACK
Sys150: Louvred Grille Black c/w Flyscreen	VKC275BLACKFS
Sys150: Louvred Grille White Round Spigot & Flyscreen	VKC275WHITEFS
Sys150: Louvred Grille Terracotta Round Spigot	VKC275TERRACOTTA
Sys150: Louvred Grille Terracotta Round Spigot & Flyscreen	VKC275TERRACOTTAFS
Sys150: 150mm Cowl Grill Brown	VKC280BROWN
Sys150: 150mm Cowl Grille Beige	VKC280BEIGE
Sys150: 150mm Cowl Grille Terracotta	VKC280TERRACOTTA
Sys150: 150mm Cowl Grille White	VKC280WHITE
Sys125: Cowl Grille White Round Spigot (150x70)	VKC289WHITE
Sys125: Cowl Grille Brown Round Spigot (150x70)	VKC289BROWN
Sys125: Cowl Grille Beige Round Spigot (150x70)	VKC289BEIGE
Sys125: Cowl Grille Black Round Spigot (150x70)	VKC289BLACK
Sys125: Cowl Gravity Grille 5" Grey	VKC289GREY
Sys125: Cowl Grille Terracotta Round Spigot (150x70)	VKC289TERRACOTTA
Sys150: Gravity Grille Brown Round Spigot	VKC292BROWN
Sys150: Gravity Grille Beige Round Spigot	VKC292BEIGE
Sys150: Gravity Grille Terracotta Round Spigot	VKC292TERRACOTTA
Sys150: Gravity Grille White Round Spigot	VKC292WHITE
Sys204: Airbrick Brown (204x60)	VKC5631BROWN
Sys204: Airbrick Beige (204x60)	VKC5631BEIGE
Sys204: Airbrick Black (204x60)	VKC5631BLACK
Sys204: Airbrick Telegrey (RAL7045)	VKC5631GREY
Sys204: Airbrick Anthracite Grey (RAL7016)	VKC5631DARKGREY
Sys204: Airbrick Terracota (204x60)	VKC5631TERRACOTTA
Sys204: Airbrick White (204x60)	VKC5631WHITE
Sys204: Double Airbrick Adaptor with Beige Grilles (204x60)	VKC5633GBEIGE
Sys204: Double Airbrick Adaptor with Brown Grilles (204x60)	VKC5633GBROWN
Sys204: Double Airbrick Adaptor c/w Anthracite Grey Grilles	VKC5633GDARYGREY
Sys204: Double Airbrick Adaptor with Light Grey Grilles	VKC5633GGREY
Sys204: Double Airbrick Adaptor with Terracotta Grilles	VKC5633GTERRACOTTA
Sys204: Double Airbrick Adaptor with White Grilles	VKC5633GWHITE
Sys204: Airbrick with Beige Grille & Surround	VKC5635BEIGE
Sys204: Airbrick with Black Grille & Surround	VKC5635BLACK
Sys204: Airbrick with Brown Grille & Surround	VKC5635BROWN
Sys204: Airbrick with Terracotta Grille & Surround (204x60)	VKC5635TERRACOTTA
Sys204: Airbrick with White Grille & Surround	VKC5635WHITE
Sys220: Airbrick Adaptor c/w Brown Grille	VKC5733GBROWN
Sys220: Airbrick Adaptor c/w Beige Grille	VKC5733GBEIGE
Sys220: Airbrick Adaptor c/w Black Grille	VKC5733GBLACK
Sys220: Double Airbrick Adaptor with Light Grey Grilles	VKC5733GGREY
Sys220: Airbrick Adaptor c/w Terra Grille	VKC5733GTERRACOTTA
Sys220:Airbrick Adaptor c/w White Grille	VKC5733GWHITE
Sys225: Airbrick Adaptor with Brown Grille (234x29)	VKC703GBROWN
Sys225: Airbrick Adator with Beige Grille (234x29)	VKC703GBEIGE
Sys225: Airbrick Adaptor with Black Grill (234x29)	VKC703GBLACK
Sys225: Airbrick Adaptor with Light Grey Grills (234x29)	VKC703GGREY
Sys225: Airbrick Adaptor with Terracotta Grille (234x29)	VKC703GTERRACOTTA
Sys225: Airbrick Adaptor with White Grill (234x29)	VKC703GWHITE
Airbrick Grille White	VKC704WHITE
Airbrick Grille Brown	VKC704BROWN
Airbrick Grille Beige	VKC704BEIGE
Airbrick Grille Black	VKC704BLACK
Airbrick Grille Grey HS 8900/2	VKC704GREY
Airbrick Grille Anthracite Grey (RAL 7016)	VKC704DARKGREY
Airbrick Grille Terracotta	VKC704TERRACOTTA
Sys225: Double Airbrick Adaptor with Brown Grills	VKC712GBROWN
Sys225: Double Airbrick Adaptor with Beige Grills	VKC712GBEIGE
Sys225: Double Airbrick Adaptor with Light Grey Grills	VKC712GGREY
Sys225: Double Airbrick Adpator with Terracotta Grills	VKC712GTERRACOTTA
Sys225: Double Airbrick Adaptor with White Grills	VKC712GWHITE
Airbrick Grille Brown with Surround	VKC714BROWN
Airbrick Grille Beige with Surround	VKC714BEIGE
Air Brick Grille Black With Surround	VKC714BLACK
Airbrick Grille Terracotta with Surround	VKC714TERRACOTTA
Airbrick Grille White with Surround	VKC714WHITE
Sys150:Louvred Grille Brown Round Spigot & Flyscreen	VKC275BROWNFS



DID YOU KNOW?

You can view the products on our website for product images, technical data sheets and more.

CLICK HERE!

PRE PACKED KITS

COOKER HOOD


Product Description	White	Brown	Beige	Terracotta
100mmØ 1m with Gravity Outlet Kit	VVK224	VVK244B	VVK224BE	VVK224T
125mmØ 1m with Adaptor to 100mmØ Round Kit	VVK520			
125mmØ 1m with Gravity Outlet Kit	VVK225	VVK225B		
125mmØ 1m with Cowl Outlet Kit	VVK265	VVK265B		
204x60mm Rectangular 3m with Airbrick & Horizontal Bend Kit	VVK5650	VVK5650B		
150mm Round x 1m Flexible Cooker Hood Kit	VVK669			
180x90mm Rectangular 3m with Airbrick & Horizontal Bend Kit	VVK668	VVK668B	VVK668BE	VVK668T
110x54mm Rectangular x 3m Long with Cowl Outlet Kit	VVK312W			
110x54mm Rectangular x 3m with Cowl & Horizontal Bend Kit	VVK483	VVK483B		VVK483T
150x70mm Rectangular x 3m with Airbrick, Horizontal Bend & Reducer to 100mmØ Kit	VVK316A			

THROUGH THE WALL

Product Description	White	Brown	Beige	Terracotta
100mØ Round Internal Ventilator	VVK200W	VVK200B	VVK200BE	VVK200T
100mmØ Telescopic Outlet Set	VVK223			

TUMBLE DRYER

Product Description	White	Brown	Beige	Terracotta
Indoor Tumble Dryer Venting Kit	VVK675P			
100mmØ Tumble Dryer Kit with Cowl Grill	VVK702			
100mmØ Tumble Dryer Kit with Cowl Grill	VVK244/COWL	VVK244V/COWL		



DID YOU KNOW?

We have a dedicated team and in 2022 we sucessfully achieved a Silver Award with Investor in Customers. Please reach out to our team of experts for any enquiries.

CLICK HERE!

NEED HELP?

If you have any queries regarding placing an order, or if you would like more information about any of our product ranges, please reach out to our team of experts who will be happy to help you.

Simply give us a call or reach out to us via email or through our contact page on our website.

+44 (0) 1202 825898

WEBSITE

EMAIL

FAQS

Visit our frequently asked questions page on our website. Here you can find regular questions asked about our ordering process or technical information.

For technical information, please click the product code

DID YOU KNOW?

We also have a chat agent available on our website. During our opening hours it will be managed by our amazing team.

CLICK HERE!

Follow us on SOCIAL MEDIA

Follow us on social media and subscribe to our YouTube. Find out more about who we are as a company, our people and our products.

YOUTUBE

LINKEDIN

TWITTER