




Product Catalogue

www.Verplas.co.uk


Sales@Verplas.co.uk

01202 825898



Improving people's lives by providing fresh air solutions, creating healthier homes for a cleaner and more sustainable future

CONTENTS PAGE



About Us
Page: 3



Flexible Hose Range
Pages: 20 - 21



Pre-Packed Kits Range
Pages: 32 - 33




Kit Colour Codes
Pages: 44



Rectangular Ducting Range
Pages: 4 - 7



External Grilles Range
Pages: 22 - 25



Radial Ducting Range
Pages: 34 - 37




Contact and Socials
Pages: 45



Round Ducting Range
Pages: 8 - 11



Internal Valves Range
Pages: 26 - 27



Tile Ventilators Range
Pages: 38 - 39



Rapid Self-Seal Range
Pages: 12 - 14



Noise Reduction Range
Pages: 28 - 29



Ducting Accessories Range
Pages: 40 - 42



Rapid Self-Seal Thermal Range
Pages: 15 - 19



Fire Solutions Range
Pages: 30 - 31



Grille Colour Codes
Page: 43



OUR MISSION

Improving people's lives by providing fresh air solutions, creating healthier homes for a cleaner and more sustainable future.



OUR VALUES

Innovation and Creativity

Trust, Respect and Support the Team

Open and Honest Two Way Communication

Together we are Committed to Customer Excellence

Inspire, Motivate & Be Positive

Carbon Literate Organisation
Bronze



The Carbon Literacy Project

We take sustainability seriously, so much so that we are proud to be accredited as a Bronze Carbon Literate Organisation.

We will continue to make improvements to our processes and further educate our team to minimise our environmental impact as much as possible.



Investor in Customers

Our unstoppable team is highly dedicated to providing customer excellence. We have successfully achieved a Gold Customers. We use the feedback obtained through this service to help guide us and further elevate our customer experience.



About Us

Established in 1986, we steadily grew into one of the market leading ventilation manufacturers within the UK, known for our quality and innovation. With both extrusion and injection moulding capabilities, we continue to innovate revolutionary products that benefits the end user, the installer and also the suppliers of our products.

Within our catalogue we have a vast range of products, created by our unstoppable team, with both quality and sustainability in mind. We are also BS EN ISO 9001 approved, and we pride ourselves on the high standard of our quality. When you choose Verplas, you are also choosing sustainable methods and materials without compromising quality. We thank you for choosing Verplas and choosing high values, quality, and sustainability. Together we believe we can make a difference through our processes and how it affects the world around us and through the products we produce, Indoor Air Quality is becoming more and more important in people's everyday lives and we are proud to be part of this industry.

We have award winning products that provide the installer with an easy installation method that significantly reduces time on site and minimises air leakage. To find out more, please go to pages 12 and 15. Customer Excellence is one of our core values, with that being said, we would like to welcome you to our latest edition of our catalogue. We have created an interactive catalogue of our core products, so you are able to easily access the technical information by simply clicking on the product code.

If you have any questions or would like to supply Verplas products and place an order, please reach out to our team of experts who will be happy to help. As we do not sell to the general public, we can direct you towards the nearest supplier of our products.

OUR AWARD WINNING
SELF-SEAL
TECHNOLOGY

RAPID
SELF-SEAL I



CLICK HERE

RAPID
SELF-SEAL I
THERMAL

➤ Using our award winning Self-Seal Technology

➤ Only 1 Installer required

➤ No tape, sealant or tek screws required

www.Verplas.co.uk

Sales@Verplas.co.uk

01202 825898



Available Sizes

110 x 54mm

150 x 70mm

180 x 90mm

204 x 60mm

220 x 90mm

234 x 29mm

Click Here
to View the
Whole Range




RECTANGULAR DUCTING Range

With sizes from 110x54mm to 234x29mm, we have a whole host of ducting sizes to suit your ducting needs.

With the desire to maximise living space and ceiling height, rectangular ducts are the perfect solution for small ceiling void applications and tight spaces. The Verplas Rectangular Ducting Range is designed to maximise airflow and contribute to lower system resistance.

204x60mm is one of the most popular system sizes used in the market, the low-profile aspect of the system ensures they can be easily concealed where space is restricted whilst still retaining the ability to handle high extraction rates.

Our 110x54mm ducting range provides the perfect solution for traditional fan installations, our high flow 220x90mm ducting offers increased free area to accommodate larger airflow requirements whilst ensuring ceiling installation space is kept to a minimum.





DID YOU KNOW?

On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page



Rectangular Ducting Length

Key Products:		
204x60mm Flat Channel x 1m	VKC5604	204
204x60mm Flat Channel x 1.5m	VKC5628	
204x60mm Flat Channel x 2m	VKC5629	
220x90mm Flat Channel x 1m	VKC5704	220
220x90mm Flat Channel x 1.5m	VKC5728	
220x90mm Flat Channel x 2m	VKC5729	
Also Available In:		
110x54mm x 1m Flat Channel	VKC249	
110x54mm x 1.5m Flat Channel	VKC240	
110x54mm x 2m Flat Channel	VKC297	
150x70mm x 1m Flat Channel	VKC604	
180x90mm x 1m Flat Channel	VKC651	
234x29mm x 1m Flat Channel	VKC706	
234x29mm x 2m Flat Channel	VKC707	



204x60mm & 220x90mm available in our Rapid Self-Seal!

Rectangular 90° Horizontal Bend

Key Products:		
204x60mm	VKC5605	204
204x60mm Rapid Self-Seal	VSSC5605	
220x90mm	VKC5705	220
220x90mm Rapid Self-Seal	VSSC5705	
Also Available In:		
110x54mm	VKC238	
150x70mm	VKC605	
180x90mm	VKC654	
234x29mm	VKC701	



204x60mm & 220x90mm available in our Rapid Self-Seal!

Rectangular Duct Connector

Key Products:		
204x60mm	VKC5608	204
204x60mm Rapid Self-Seal Duct to Duct	VSSC204DD	
204x60mm Rapid Self-Seal Duct to Fitting	VSSC204DF	
220x90mm	VKC5708	220
220x90mm Rapid Self-Seal Duct to Duct	VSSC220DD	
220x90mm Rapid Self-Seal Duct to Fitting	VSSC220DF	
Also Available In:		
110x54mm	VKC235	
150x70mm	VKC608	
180x90mm	VKC652	
234x29mm	VKC700	



Rectangular 90° Vertical Bend

Key Products:		
204x60mm	VKC5612	204
220x90mm	VKC5712	
220		
Also Available In:		
110x54mm	VKC239	
150x70mm	VKC612	
180x90mm	VKC653	
234x29mm	VKC710	



Rectangular Ducting Support Clip

Key Products:		204
204x60mm	VKC5610	
Also Available In:		
110x54mm	VKC230	
150x70mm	VKC610	
180x90mm	VKC664	
234x29mm	VKC705	



204x60mm & 220x90mm available in our Rapid Self-Seal!

Rectangular 45° Horizontal Bend

Key Products:		
204x60mm	VKC5616	204
204x60mm Rapid Self-Seal	VSSC5616	
220x90mm	VKC5716	220
220x90mm Rapid Self-Seal	VSSC5716	
Also Available In:		
110x54mm	VKC227	
234x29mm	VKC711	

For technical information, please click the product code





DID YOU KNOW?

Some of our products are also made in our Rapid Self-Seal range, complete with our integrated self-seal technology. Click the button below to find out more.



Rectangular 45° Vertical Bend

Key Products:

220x90mm	VKC5717
Also Available In:	
110x54mm	VKC226
234x29mm	VKC709

204 220



Rectangular to Round Adaptor

Key Products:

204x60mm to 100mmØ	VKC5615
204x60mm to 125mmØ	VKC5613
220x90mm to 150mmØ	VKC5713
Also Available In:	
150x70mm to 125mmØ	VKC613
180x90mm to 150mmØ	VKC650
234x29mm to 100mmØ	VKC708

204 220



Rectangular T-Piece

Key Products:

204x60mm	VKC5630
204x60mm Rapid Self-Seal	VSSC5630
220x90mm	VKC5730
220x90mm Rapid Self-Seal	VSSC5730

Also Available In:

110x54mm	VKC228
----------	--------

204 220

204x60mm & 220x90mm available in our Rapid Self-Seal!



Rectangular Wall Plate

Key Products:

204x60mm	VKC5601
Also Available In:	
110x54mm	VKC206
150x70mm	VKC601
180x90mm	VKC657

204



Rectangular Elbow Bend Plenum

Key Products:

204x60mm 100mmØ Spigot	VKC5644
204x60mm 125mmØ Spigot	VKC5645
204x60mm 150mmØ Spigot	VKC5646
204x60mm 100mmØ Rotating Spigot	VKC5625
204x60mm 125mmØ Rotating Spigot	VKC5606
204x60mm 150mmØ Rotating Spigot	VKC5626
220x90mm 125mmØ Spigot	VKC5706
220x90mm 150mmØ Spigot	VKC5726

Also Available In:

110x54mm Male - 100mmØ Spigot	VKC237
110x54mm Female - 100mmØ Spigot	VKC236
150x70mm 125mmØ Spigot	VKC606
234x29mm 100mmØ Spigot	VKC702

204

220



Rectangular Airbrick Adaptor

Key Products:

204x60mm Double with Grilles	VKC5633G
204x60mm Single with Grilles	VKC5631
220x90mm Double	VKC5733
220x90mm Reducer	VKC5756
220x90mm Double with Grilles	VKC5733G

Also Available In:

110x54mm	VKC247
----------	--------

204

220

For technical information, please click the product code





Rectangular Flexible Bend

Key Products:

204x60mm	VKC5627	204 220
220x90mm	VKC5727	

Also Available In:

110x54mm	VKC229
150x70mm	VKC627
180x90mm	VKC676



Rectangular Cross Over Duct

Key Products:

204x60mm	VKC5653	204
----------	---------	-----



Rectangular Adaptor

Key Products:

204x60mm to 220x90mm	VKC5643	204
----------------------	---------	-----



Our Cross Over Duct Connector enables
Installers to bypass obstacles whilst
minimising resistance.



Why do this?

- More Cuts
- More Materials
- Awkward
- Stressful
- More Mess



When you can do this?

- Fewer Cuts
- Fewer Materials
- Less Awkward
- Less Stress
- Less Mess



DID YOU KNOW?

Our extruded
ducting is created
using high quality,
recycled windows
and door frames;
saving
thousands of
tonnes of waste
plastic from going
to landfill!



For technical
information,
please click the
product code





Available Sizes

100mmØ

125mmØ

150mmØ

Click Here
to View the
Whole Range




ROUND DUCTING Range

Our round low resistance ducting systems are available in 100mm, 125mm and 150mm diameters to suit standard mechanical ventilation systems.

Supplied in 1m, 1.5m and 2m lengths this diverse product range is perfect for all ventilation strategies due to the fact that it is available with a full range of fittings to ease the overall installation process.

The round ducting systems are traditionally used alongside fans or mechanical heat recovery systems with an extensive range of fittings, outlets and grilles.





DID YOU KNOW?

Our Universal Pipe Clip is very easy to install, please click the button below to view a 4 step guide on how to install it.



Round Pipe

Key Products:	
125mmØ x 350mm	VKC266
125mmØ x 1m	VKC267
125mmØ x 1.5m	VKC269
125mmØ x 2m	VKC2692
Also Available In:	
100mmØ x 350mm	VKC242
100mmØ x 1m	VKC250
100mmØ x 1.5m	VKC299
100mmØ x 2m	VKC2992
150mmØ x 350mm	VKC660
150mmØ x 1m	VKC670
150mmØ x 1.5m	VKC671
150mmØ x 2m	VKC673



Round Connector with Damper

Key Products:	
125mmØ	VKC353
Also Available In:	
100mmØ	VKC303
150mmØ	VKC363




Round Telescopic Pipe

Key Products:	
125mmØ	VKC357
Also Available In:	
100mmØ	VKC307
150mmØ	VKC367



Round Pipe Fixing Clip

Key Products:	
100mmØ, 125mmØ, 150mmØ	UNIVERSAL-PIPE-CLIP



Round Connector

Key Products:	
125mmØ	VKC355
125mmØ Rapid Self-Seal Pipe to Pipe	VSSC125PP
125mmØ Rapid Self-Seal Pipe to Fitting	VSSC125PF
Also Available In:	
100mmØ	EK0028
150mmØ	VKC365

125mmØ
available in our
Rapid Self-Seal!



Round 90° Bend

Key Products:	
125mmØ	VKC350
125mmØ Rapid Self-Seal	VSSC350
Also Available In:	
100mmØ	VKC300
150mmØ	VKC360

125mmØ
available in our
Rapid Self-Seal!

For technical
information,
please click the
product code





DID YOU KNOW?

We also use recycled parts from old fridge freezers to make our connectors; saving plastics from entering landfill.



Round 45° Bend

Key Products:

125mmØ	VKC351
125mmØ Rapid Self-Seal	VSSC351

Also Available In:

100mmØ	VKC301
150mmØ	VKC361

125mmØ
available in our
Rapid Self-Seal!




Round Hose Connector

Key Products:

125mmØ	VKC271
--------	--------

Also Available In:

100mmØ Male	VKC10
100mmØ Female	VKC11
150mmØ	VKC659



Round T-Piece

Key Products:

125mmØ	VKC352
125mmØ Rapid Self-Seal	VSSC352

Also Available In:

100mmØ	VKC302
150mmØ	VKC362

125mmØ
available in our
Rapid Self-Seal!



Round Hose End

Key Products:

100mmØ to 80mmØ	EK0082
-----------------	--------



Round Wall Plate

Key Products:

125mmØ	VKC618
--------	--------

Also Available In:

100mmØ	VKC19
150mmØ	VKC661



Round Reducer

Key Products:

100mmØ to 125mmØ	VKC603
125mmØ to 150mmØ	VKC619
125mmØ Offset	VKC621

Also Available In:

100mmØ to 150mmØ	VKC437
150mmØ to 200mmØ	VKC436
150mmØ to 180mmØ Metal	VKC678

For technical
information,
please click the
product code



**DID YOU KNOW?**

Our unstoppable team are continuously working hard to ensure all our products meet the high standards we believe our customers deserve.

**Condensation Trap****Key Products:**

125mmØ

VKC445

Also Available In:

100mmØ

VKC434

ASSOCIATED PRODUCTS

Please click the images below to go to associated product ranges for the Round Ducting Range.

FIRE

Our Fire Solutions Range include Intumescent fire sleeves, as pictured here, fire rated airbricks, fire rated air valves and accessories.

GRILLES

We have a vast range of external grilles, with a great choice of style, size and colour to suit your specific ventilation needs.

VALVES

Our Valve range is available in a selection of sizes and finishes to suit your ventilation requirements, whilst being aesthetically pleasing.

HOSES

Our hose range consists of multiple hose types across a vast range of sizes to suit the specific requirements.

For technical information, please click the product code





Available Sizes

125mmØ

204x60mm

220x90mm

Click Here
to View the
Whole Range

Complete with our integrated
Self-Seal Technology!



RAPID

[SELF-SEAL]


Our award winning Rapid Self-Seal range is complete with our patented protected self-seal technology, enabling a consistent seal that minimises air loss and removes the need for tek screws, sealant and tape. The self-seal technology means the installation process only requires one Installer and is significantly faster than using traditional installation methods.


We have a selection of our most used products available in fully integrated products, for those not yet available we have bridging components compatible with our 125mmØ round and 204x60mm and 220x90mm rectangular range.

Quick and easy
to install!

No need for tape, screws or sealant to
connect the ducts!

We believe in it so much, we put it to the
test against traditional methods.
Click this button to see how we got on.





DID YOU KNOW?

Our Rapid Self-Seal range is over twice as fast to install when using 1 Installer, compared to using traditional ducting with two Installers. This was shown in a recent demonstration. Click the button below to find out more



Duct to Duct Connector

Key Products:

204x60mm Rapid Self-Seal
220x90mm Rapid Self-Seal

VSSC204DD
VSSC220DD



Rectangular 45° Horizontal Bend

Key Products:

204x60mm Rapid Self-Seal
220x90mm Rapid Self-Seal

VSSC5616
VSSC5716



Duct to Fitting Connector

Key Products:

204x60mm Rapid Self-Seal
220x90mm Rapid Self-Seal

VSSC204DF
VSSC220DF



Rectangular T-Piece

Key Products:

204x60mm Rapid Self-Seal
220x90mm Rapid Self-Seal

VSSC5630
VSSC5730




Rectangular 90° Horizontal Bend

Key Products:

204x60mm Rapid Self-Seal
220x90mm Rapid Self-Seal

VSSC5605
VSSC5705

In a recent demonstration our Rapid Self-Seal was at least twice as fast to install with one installer than traditional screw and glue method using two installers!




Our patented Self-Seal Technology enables a quick and easy fit!

The Self-Seal Technology enables a consistent seal, giving both installers and end users the peace of mind of a ventilation system with minimal air loss.

For technical information, please click the product code





DID YOU KNOW?

On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

CLICK HERE!



Pipe to Pipe Connector

Key Products:

125mmØ Rapid Self-Seal

VSSC125PP



Round 45° Bend

Key Products:

125mmØ Rapid Self-Seal

VSSC351



Pipe to Fitting Connector

Key Products:

125mmØ Rapid Self-Seal

VSSC125PF



Round T-Piece

Key Products:

125mmØ Rapid Self-Seal

VSSC352



Round 90° Bend

Key Products:

125mmØ Rapid Self-Seal

VSSC350



Complete with our integrated Self-Seal Technology!

No need for tape, screws or sealant to connect the ducts!

Quick and easy to install!

For technical information, please click the product code





Available Sizes

204x60mm


220x90mm

125mmØ

160mmØ

Click Here
to View the
Whole Range

It's as simple as...





V RAPID [SELF-SEAL] THERMAL

This is our award winning Rapid Self-Seal Thermal range, a combination of graphite impregnated polystyrene and our patented self-seal technology. This powerful combination provides the end user with a highly efficient thermal ventilation system.

Our self-seal technology minimises air loss by creating a consistent seal around the ductwork, giving installers and homeowners the peace of mind of a high quality ventilation system.

An easy system to install, that can be installed just using one Installer. Saving significant time on installation when compared to mineral wool.

We believe in it so much, we put it to the test against traditional methods!
Click this button to see how we got on!





DID YOU KNOW?

In 2017 Verplas won Best Services Product with the prestigious House Builder Awards for their Rapid Self-Seal Thermal Range.

?



Rectangular Ducting Length

Key Products:


204x60mm x 1m	SST-204-1M-IND
204x60mm x 2m	SST-204-2M-IND
220x90mm x 1m	SST-220-1M-IND
220x90mm x 2m	SST-220-2M-IND



Rectangular 90° Horizontal Bend

Key Products:

204x60mm	SST-204-90HB-IND
220x90mm	SST-220-90HB-IND



Duct to Duct Connector

Key Products:

204x60mm	SST-204-DDCON
220x90mm	SST-220-DDCON



Rectangular 45° Horizontal Bend

Key Products:

204x60mm	SST-204-45HB-IND
220x90mm	SST-220-45HB-IND



Duct to Fitting Connector

Key Products:

204x60mm	SST-204-DFCON
220x90mm	SST-220-DFCON



Rectangular 90° Vertical Bend

Key Products:

204x60mm	SST-204-90VB-IND
220x90mm	SST-220-90VB-IND

For technical information, please click the product code



**DID YOU KNOW?**

On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

**CLICK
HERE!**

Rectangular 45° Vertical Bend

Key Products:

204x60mm
220x90mm

SST-204-45VB-IND
SST-220-45VB-IND




Rectangular to Round Adaptor

Key Products:

204x60mm to 125mmØ
220x90mm to 160mmØ

SST-204-125ADAP-IND
SST-220-160ADAP-IND



Rectangular T-Piece

Key Products:

204x60mm
220x90mm

SST-204-TP-IND
SST-220-TP-IND




Rectangular Elbow Bend Plenum

Key Products:


204x60mm to 125mmØ
220x90mm to 125mmØ
220x90mm to 160mmØ

SST-204-PL-IND
SST-220-PL-IND
SST-220-PL160-IND



Graphite impregnated polystyrene
enabling thermal properties that
exceed regulations

Complete with our integrated
Self-Seal Technology!




No need for tape, screws or sealant
when connecting the ducts

RAPID
[[SELF-SEAL]]
THERMAL
RECTANGULAR


For technical
information,
please click the
product code





DID YOU KNOW?

In a recent demonstration it was almost 3 times faster to install our ThermalDducting using one Installer, compared to 2 Installers using mineral wool!



Round Pipe

Key Products:	
125mmØ x 1m	SST-125-1M-IND
125mmØ x 2m	SST-125-2M-IND
Also Available In:	
160mmØ x 1m	SST-160-1M-IND
160mmØ x 2m	SST-160-2M-IND




Round 90° Bend

Key Products:	
125mmØ	SST-125-90B-IND
Also Available In:	
160mmØ	SST-160-90B-IND



Duct to Duct Connector

Key Products:	
125mmØ	SST-125-DDCON
Also Available In:	
160mmØ	SST-160-DDCON



Round 45° Bend

Key Products:	
125mmØ	SST-125-45B-IND
Also Available In:	
160mmØ	SST-160-45B-IND



Duct to Fitting Connector

Key Products:	
125mmØ	SST-125-DFCON
Also Available In:	
160mmØ	SST-160-DFCON



Round T-Piece


Key Products:	
125mmØ	SST-125-TP-IND
Also Available In:	
160mmØ	SST-160-TP-IND

For technical information, please click the product code







DID YOU KNOW?
Our award winning Rapid Self-Seal Thermal Range, not only is it super easy to install it also out performs mineral wool & aluminium bubble wrap.



Rectangular to Round Adaptor

Key Products:


204x60mm to 125mmØ	SST-204-125ADAP-IND
220x90mm to 160mmØ	SST-220-160ADAP-IND



Rectangle Elbow Bend Plenum

Key Products:

204x60mm to 125mmØ	SST-204-PL-IND
220x90mm to 125mmØ	SST-220-PL-IND
220x90mm to 160mmØ	SST-220-160PL-IND



Thermal 160mmØ Adaptor

Key Products:

160mmØ to 150mmØ	SST-160-150-ADAPTOR
------------------	---------------------

For technical information, please click the product code



RAPID

[[SELF-SEAL]]

THERMAL ROUND



Available
Sizes

82mmØ

102mmØ

127mmØ

133mmØ

152mmØ

203mmØ

254mmØ


110x54mm

150x70mm

204x60mm

220x90mm



Click Here
to View the
Whole Range




**FLEXIBLE
HOSES
Range**

Within our flexible hose range we offer a wide range of solutions depending on the need of the individual project. With a range of white PVC, insulated and rectangular hoses and much more.

Our range of flexible hoses give installers many choices along with multiple options of both diameter and length.






Our Flexible Hoses range is compatible with the Verplas Round Ducting Range, to view the full range, please click the button below.

CLICK HERE!



White PVC Flexible Hoses

Key Products:		
100mmØ x 1m	WPVC102X1	100
100mmØ x 3m	WPVC102X3	
100mmØ x 6m	WPVC102X6	
100mmØ x 15m	WPVC102X15	
100mmØ x 45m	WPVC102X45BOX	
133mmØ x 1m	WPVC133X1	133
133mmØ x 3m	WPVC133X3	
133mmØ x 6m	WPVC133X6	
133mmØ x 15m	WPVC133X15	
Also Available In:		
152mmØ x 1m	WPVC152X1	
152mmØ x 3m	WPVC152X3	
152mmØ x 6m	WPVC152X6	



Flexible Combi Hoses

Key Products:		
102mmØ x 6m	COM102X6	102
127mmØ x 6m	COM127X6	127
Also Available In:		
152mØ x 6m	COM152X6	




Grey PVC Flexible Hoses

Key Products:		
102mmØ x 6m	GPVC102X6	102
102mmØ x 10m	GPVC102X10	
127mmØ x 6m	GPVC127X6	127
127mmØ x 10m	GPVC127X10	
Also Available In:		
82mmØ x 6m	GPVC82X6	
152mmØ x 6m	GPVC152X6	
152mmØ x 10m	GPVC152X10	
203mmØ x 6m	GPVC203X6	



Flexible Insulated Hoses

Key Products:		
102mmØ x 5m Insulated Aluminium	INS102x5	102
102mmØ x 10m Insulated Aluminium	INS102x10	
102mmØ x 10m Acoustic/ Sono	SONO102X10	
127mmØ x 5m Insulated Aluminium	INS127x5	127
127mmØ x 10m Insulated Aluminium	INS127x10	
127mmØ x 10m Acoustic/ Sono	SONO127X10	
Also Available In:		
152mmØ x 5m	INS152X5	
152mmØ x 10m	INS152X10	
152mmØ x 10m	SONO152X10	



Flexible & Semi Rigid Aluminium Hoses

Key Products:		
102mmØ x 10m Flexible Aluminium	ALUM102X10	102
102mmØ x 1.5m Semi-Rigid Aluminium	A1.5MS/R102	
102mmØ x 3m Semi-Rigid Aluminium	A3MS/R102	
127mmØ x 10m Flexible Aluminium	ALUM127X10	127
Also Available In:		
82mmØ x 10m Flexible Aluminium	ALUM82X10	
152mmØ x 10m Flexible Aluminium	ALUM152X10	




Rectangular Flexible Hoses

Key Products:		
204x60mm x 3m PVC	WPVC206X62REC	204
204x60mm x 6m Combi	COMR204X6	
220x90mm x 3m PVC	WPVC220X90REC	220
Also Available In:		
110x54mm x 3m PVC	WPVC110X55REC	

For technical information, please click the product code





Available Sizes

100mmØ

125mmØ

150mmØ

160mmØ

110x54mm

204x60mm

220x90mm

234x29mm


Click Here
to View the
Whole Range




EXTERNAL GRILLES Range

Our range of external grilles are designed to suit many applications. We offer a range of styles and sizes including louvres grilles, airbricks, gravity grilles and cowl vents as well as a range of stainless steel products including bullnose vents and much more.

Within this range, where multiple colours are available the full list of codes will be displayed on page 44. RAL numbers are also displayed on page 25.





DID YOU KNOW?
We have grilles in multiple colours and sizes.
To view all the colour and size codes, please click the button below.

CLICK HERE!



Louvre Grille

Key Products:

- | | | |
|--------|--|--------|
| 100mmØ | | VKC244 |
| 125mmØ | | VKC268 |

Also Available In:

- | | | |
|----------|--|--------|
| 150mmØ | | VKC275 |
| 110x54mm | | VKC233 |



Gravity Outlet

Key Products:

- | | | |
|--------|--|--------|
| 100mmØ | | VKC243 |
| 125mmØ | | VKC270 |

Also Available In:

- | | | |
|----------|--|--------|
| 150mmØ | | VKC292 |
| 110x54mm | | VKC231 |



Louvre Grille with Flyscreen

Key Products:

- | | | |
|--------|--|-----------|
| 100mmØ | | VKC244F/S |
| 125mmØ | | VKC268F/S |

Also Available In:

- | | | |
|----------|--|-----------|
| 150mmØ | | VKC275F/S |
| 110x54mm | | VKC233F/S |



Round Facia Louvre Grille

Key Products:

- | | | |
|--------|--|--------|
| 100mmØ | | VKC256 |
| 125mmØ | | VKC617 |



Cowl with Non Return Flap

Key Products:

- | | | |
|--------|--|--------|
| 100mmØ | | VKC245 |
| 125mmØ | | VKC289 |

Also Available In:

- | | | |
|----------|--|--------|
| 150mmØ | | VKC280 |
| 110x54mm | | VKC232 |



Stainless Steel Bull Nose Louvre

Key Products:


- | | |
|--------|-------|
| 100mmØ | SS100 |
| 125mmØ | SS120 |

Also Available In:

- | | |
|--------|-------|
| 150mmØ | SS150 |
|--------|-------|

For technical information, please click the product code





DID YOU KNOW?
On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

CLICK HERE!



Stainless Steel Bull Nose Wire

Key Products:	
100mmØ	SS101
125mmØ	SS121
Also Available In:	
150mmØ	SS151
160mmØ	SS161



Single Airbrick Adaptor

Key Products:	
204x60mm	VKC5608G
Also Available In:	
110x54mm	VKC247




Stainless Steel Cowl with Flap

Key Products:	
100mmØ	SS103
125mmØ	SS123
Also Available In:	
150mmØ	SS153



Single Airbrick with Grille

Key Products:	
204x60mm	VKC5631
204x60mm with Surround	VKC5635
Also Available In:	
150x70mm	VKC616R
180x90mm	VKC662



Stainless Steel Gravity Outlet

Key Products:	
100mmØ	SS102
125mmØ	SS122
Also Available In:	
150mmØ	SS152




Double Airbrick Adaptor

Key Products:	
204x60mm	VKC5633
220x90mm	VKC5733

For technical information, please click the product code






DID YOU KNOW?
Buildings over
18m in height
require fire rate
grilles



Double Airbrick with Grilles

Key Products:
204x60mm VKC5633G
220x90mm VKC5733G



Airbrick Grille


Key Products:
For both Single & Double Airbrick Adaptors  VKC704



Airbrick Grille with Surround

Key Products:
For Airbrick Adaptor VKC247 & VKC5608G VKC714

RAL NUMBERS



For technical
information,
please click the
product code





Available Sizes


100mmØ

125mmØ

150mmØ

160mmØ


Click Here
to View the
Whole Range




INTERNAL VALVES Range

Our Range of Internal Valves are available in white or stainless steel, both stylish and discrete. Due to their unobtrusive nature the valves work to provide a quality finish within your new or existing home.

Once installation is complete, the valves are tamper proof but fully adjustable and commissionable with a full locking mechanism. Available in supply, extract and multi-purpose options the valves are designed to suit every installation.





DID YOU KNOW?

Our range of internal Valves is compatible with the Roud Verplas Ducting Range. To view the full Round Ducting Range, please click the button below

CLICK HERE!



Internal Extract Steel Air Valve

Key Products:	
100mmØ	MW104
125mmØ	MW124
Also Available In:	
150mmØ	MW154
200mmØ	MW204



Universal Stainless Steel Air Valve

Key Products:	
100mmØ	SS104
125mmØ	SS124
Also Available In:	
150mmØ	SS154



Internal Supply Steel Air Valve

Key Products:	
100mmØ	MW105
125mmØ	MW125
Also Available In:	
150mmØ	MW155
200mmØ	MW205




Fire Rated Steel Air Valves

Key Products:	
100mmØ Extract Valve	MW104FRE
100mmØ Supply Valve	MW105FRS
125mmØ Extract Valve	MW124FRE
125mmØ Supply Valve	MW125FRS
Also Available In:	
150mmØ Extract Valve	MW154FRE
150mmØ Supply Valve	MW155FRS
200mmØ Extract Valve	MW204FRE
200mmØ Supply Valve	MW205FRS

For technical information, please click the product code





Available Sizes

204x60mm

220x90mm


Click Here
to View the
Whole Range



NOISE SOLUTIONS Range

Our high flow attenuators allow flexibility for designers to choose the right noise solutions to best suit their needs, this can assist in preventing external noise ingress transmitting through the ventilation duct and limit cross talk between rooms. The full range of Verplas Noise Solutions are anti – corrosive, lightweight, building regulation driven and easy to install.





DID YOU KNOW?
Our Noise
Solution Range
is designed to
reduce fan noise
and sound
transference
between rooms.



0.5m Rectangular Duct Silencer

Key Products:	
204x60mm	VKC5660
204x60mm Hi-Flow	VKC5663
220x90mm	VKC5760



Sono Flexible Hoses

Key Products:	
102mmØ x 10m Acoustic/ Sono	SONO102X10
127mmØ x 10m Acoustic/ Sono	SONO127X10
Also Available In:	
152mmØ x 10m	SONO152X10



1m Rectangular Duct Silencer

Key Products:	
204x60mm	VKC5661
204x60mm Hi-Flow	VKC5664
220x90mm	VKC5761



1.5m Rectangular Duct Silencer

Key Products:	
204x60mm	VKC5662
204x60mm Hi-Flow	VKC5665
220x90mm	VKC5762

For technical
information,
please click the
product code





Available Sizes

100mm

125mm

204x60mm

220x90mm



Click Here
to View the
Whole Range




FIRE SOLUTIONS Range

Verplas provides a complete range of Fire Solutions suitable for all applications and modern building designs. With an increase in system ventilation the need for fire solutions is ever increasing and that's why our range of products are manufactured to the highest standard and independently tested.

We have a range of intumescent firesleeves along with fire rated airbricks,





DID YOU KNOW?
Fire solutions are required when duct work penetrates fire barriers




Rectangular Fire Sleeve

Key Products:	
204x60mm	QRS204/60SS
220x90mm	QRS220/90SS
Also Available In:	
110x54mm	QRS110/54SS



Intumescent Fire Rated Sealant

Key Products:	
Intumescent Fire Rated Sealant	INT01



Round Fire Sleeve

Key Products:	
125mmØ	QRS130
Also Available In:	
75mmØ Radial	QRS75
100mmØ	QRS100




Fire Rate Steel Air Valve

Key Products:	
100mmØ Extract Valve	MW104FRE
100mmØ Supply Valve	MW105FRS
125mmØ Extract Valve	MW124FRE
125mmØ Supply Valve	MW125FRS
Also Available In:	
150mmØ Extract Valve	MW154FRE
150mmØ Supply Valve	MW155FRS
200mmØ Extract Valve	MW204FRE
200mmØ Supply Valve	MW205FRS

For technical information, please click the product code





Available Sizes

100mmØ

125mmØ

150mmØ

204x60mm


220x90mm


Click Here
to View the
Whole Range



PREPACKED KITS Range

The Verplas Cooker and Tumble Dryer Kits are designed specifically for wholesalers due to their feasibility for over the counter trade sales. The kits work effectively for plumbing and heating contractors working with installing kitchens and tumble driers. The range comprises of multiple options that are available to suit all applications, yet all achieve the same end result of ensuring installation runs smoothly.





ENQUIRE TODAY

Can't see what you are looking for? Reach out to our team of experts who will be happy to help you.

CALL US

Through the Wall Kits

Key Products:

100mmØ Round Internal Ventilator     VVK200



Tumble Dryer Kits

Key Products:

Indoor Tumble Dryer Venting Kit  VVK675P



Cooker Hood Kits

Key Products:

100mmØ 1m with Gravity Outlet Kit
125mmØ 1m with Adaptor to 100mmØ Round Kit
125mmØ 1m with Gravity Outlet Kit
125mmØ 1m with Cowl Outlet Kit
204x60mm Rectangular 3m with Airbrick & Horizontal Bend Kit

Also Available In:

150mm Round x 1m Flexible Cooker Hood Kit
180x90mm Rectangular 3m with Airbrick & Horizontal Bend Kit
110x54mm Rectangular x 3m Long with Cowl Outlet Kit
110x54mm Rectangular x 3m with Cowl & Horizontal Bend Kit
150x70mm Rectangular x 3m with Airbrick, Horizontal Bend & Reducer to 100mmØ Kit

- | | |
|---|---------|
|     | VVK224 |
|  | VVK520 |
|   | VVK225 |
|   | VVK265 |
|   | VVK5650 |
|  | VVK669 |
|     | VVK668 |
|  | VVK312W |
|   | VVK483 |
|  | VVK316A |

For technical information, please click the product code



Available Sizes

75mmØ

Click Here
to View the
Whole Range


www.Verplas.co.uk

Sales@Verplas.co.uk

01202 825898




Simple, hygienic and easy to install, Verplas Radial ducting systems provide installers with a vast range of 75mmØ ducting ancillaries for the complete Mechanical Ventilation Heat Recovery installation. Fully SAP tested, the range is a perfect fit for new build projects. Air Distribution Plenums within the range provide both designers and installers with the flexibility to choose a system that is suited to their individual design needs. The 75mmØ enables installers to thread the ducting through the building.





DID YOU KNOW?

The Radial Ducting is internally anti bacterial to prevent the build up of contaminants on the inside of the ducting.



Radial Ducting Roll

Key Products:

75mmØ Ducting Roll x 50m

VR75-DUCT-50M



Radial Duct to Duct Connector

Key Products:

75mmØ Round Connector

VR75-DUCT-CON




Radial Ducting Cutter

Key Products:

Radial Ducting Cutter

VR75-CUTTER



Radial Plenum

Key Products:

75mmØ Plenum 125mm spigot

VR75-DUCT-PL



Radial Ducting Clamp

Key Products:

75mmØ Ducting Clamp

VR75-DUCT-CLAMP



Radial 90° Bend

Key Products:

75mmØ Round 90° Bend

VR75-90-BEND

For technical information, please click the product code





DID YOU KNOW?

On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

CLICK HERE!




Radial End Cap

Key Products:

75mm Round End Cap

VR75-END-CAP



6 Port Manifold Box

Key Products:

6 Port Manifold Box

VR75-MAN-6




Radial Insulated Sleeve

Key Products:

75mmØ Insulated Sleeve x 10m

VR75-DUCT-INS



10 Port Manifold Box

Key Products:

10 Port Manifold Box

VR75-MAN-10




Radial Ducting Fire Sleeve

Key Products:

75mmØ Fire Sleeve for Radial duct

QRS75



10 Port Horizontal Manifold Box

Key Products:

10 Port Manifold Horizontal Box

VR75-MAN10H

For technical information, please click the product code





DID YOU KNOW?

Inside the
Manifold boxes
is acoustic foam
that reduces
noise


?



10 Port Manifold Box Rectangular Input

Key Products:

10 Port Manifold Box 220x90mm Rectangular Input VR75-MAN-10R




14 Port Manifold Box


Key Products:

14 Port Manifold Box

VR75-MAN-14



The 75mmØ
ducting can easily be
threaded through the
building connected
to each room using
Verplas designed
manifold boxes
and plenums.



For technical
information,
please click the
product code





Available Sizes

100mmØ

125mmØ



150mmØ


Click Here
to View the
Whole Range




TILE VENTILATORS Range

The Verplas Tile Ventilator range offers designers a high, free area to maintain a low ventilation system pressure, allowing for greater flexibility when selecting a Heat Recovery Extract System. Our tile ventilators are designed to fit seamlessly into the roof profile and blend with the chosen slate covering, making for easy installation.





DID YOU KNOW?
It's vital to prolong the life of your entire roofing system. Poor ventilation can result in ongoing mold issues and water damage.



Brown Tile Roof Vent

Key Products:

Tile Roof Vent 100 - 150mmØ Brown TILEVENT-BR



Grey Tile Roof Vent

Key Products:

Tile Roof Vent 100 - 150mmØ TILEVENT-GRY



Grey Slate Roof Vent

Key Products:

Slate Roof Vent 100 - 150mmØ Grey SLATEVENT-GREY

Easy installation and interlocking with adjacent slates or tiles

Low profile design, making it unobtrusive on the roof line.

Large free area of 20,000mm² for high flow system performance.

VKC619 - 150mmØ to 125mmØ Reducer

VKC603 - 125mmØ to 100mmØ

Perfect solution for Heat Recovery Systems to ensure maximum efficiency

For technical information, please click the product code



Available
Sizes

Variable Sizes
Available

Click Here
to View the
Whole Range

www.Verplas.co.uk

Sales@Verplas.co.uk

01202 825898



DUCTING ACCESSORIES Range

The Verplas Ducting Accessories range provides installers with multiple components that are needed for an efficient and fast ventilation installation.

Our Universal Pipe Clip is the latest addition to this range, suitable for our 100mmØ, 125mmØ and 150mmØ round ducting range, the pipe clip itself is created from recycled materials. This is part of our effort to reduce waste from going to landfill.





DID YOU KNOW?
Galvanised
banding is often
used as an
alternative to pipe
and duct clips.

**CLICK
HERE!**



Metal Hose Clips

Key Products:

55 - 170mmØ	VKC262
100mmØ	VKC264
125mmØ	VKC611

Also Available In:

80mmØ	VKC261
150mmØ	VKC674
200mmØ	VKC440



Galvanised Banding Reels

Key Products:

12mm x 10m	BANDGALV
12mm x 10m PVC Coated	BANDPB



PVC Ducting Sealing Tapes

Key Products:


50mm wide x 4.6m	EK152
50mm wide x 33m	VKC273



Duct Sealants

Key Products:

Intumescent Fire Rated Sealant	INT01
Acrylic Duct Sealant	INT02



Aluminium Sealing Tapes

Key Products:

50mm x 45m	VKC274
------------	--------



Round Wall Plates

Key Products:

100mmØ	VKC19
125mmØ	VKC618
Also Available In:	
150mmØ	VKC661

For technical
information,
please click the
product code





DID YOU KNOW?
The main fitting itself within the Universal Pipe Clip is created from recycled materials. We are using every opportunity we can to help reduce waste from going to landfill.



Rectangular Wall Plates

Key Products:

204x60mm VKC5601

Also Available In:

110x54mm VKC206
150x70mm VKC601
180x90mm VKC657




Universal Pipe Clip

Key Products:

100mmØ, 125mmØ, 150mmØ UNIVERSAL-PIPE-CLIP

INSTALL IN JUST 4 EASY STEPS

UNIVERSAL PIPE CLIP



Click the play button for a quick 4
step installation guide on our
YouTube Channel




For technical
information,
please click the
product code



GRILLE COLOUR CODES

Product Description	Product Code
Sys100: Gravity Grille Brown Rectangular Spigot (110x54)	VKC231BROWN
Sys100: Gravity Grille Beige Rectangular Spigot	VKC231BEIGE
Sys100: Gravity Grille Terracotta Rectangular Spigot (110x54)	VKC231TERRACOTTA
Sys100: Gravity Grille White Rectangular Spigot (110x54)	VKC231WHITE
Sys100: Cowl Grille Brown Rectangular Spigot (110x54)	VKC232BROWN
Sys100: Cowl Grill Beige Rectangular Spigot	VKC232BEIGE
Sys100: Cowl Grille Terracotta Rectangular Spigot (110x54)	VKC232TERRACOTTA
Sys100: Cowl Grille White Rectangular Spigot (110x54)	VKC232WHITE
Sys100: Louvred Grille Brown Rectangular Spigot (110x54)	VKC233BROWN
Sys100: Louvred Grille Beige Rectangular Spigot (110x54)	VKC233BEIGE
Sys100: Louvred Grille Beige Rec Spigot & Flyscreen (110x54)	VKC233BEIGEF5
Sys100: Louvred Grille Brown Rec Spigot & Flyscreen (110x54)	VKC233BROWNFS
Sys100: Louvred Grille Terracotta Rectangular Spigot(110x54)	VKC233TERRACOTTA
Sys100: Louvred Grille Terracotta Rec Spigot & Flyscreen	VKC233TERRACOTTAF5
Sys100: Louvred Grille White Rectangular Spigot (110x54)	VKC233WHITE
Sys100: Louvred Grille White Rec Spigot & Flyscreen (110x54)	VKC233WHITEFS
Sys100: Gravity Grille Brown Round Spigot	VKC243BROWN
Sys100: Gravity Grille Beige Round Spigot	VKC243BEIGE
Sys100: Gravity Grille Black Round Spigot	VKC243BLACK
Sys100: Gravity Grille Round Spigot - Green	VKC243GREEN
Sys100: Gravity Grille Terracotta Round Spigot	VKC243TERRACOTTA
Sys100: Gravity Grille White Round Spigot	VKC243WHITE
Sys100: Louvred Grille Brown Round Spigot	VKC244BROWN
Sys100: Louvred Grille Beige Round Spigot & Flyscreen	VKC244BEIGEF5
Sys100: Louvred Grille Beige Round Spigot	VKC244BEIGE
Sys100: Louvred Grille Brown Round Spigot & Flyscreen	VKC244BROWNFS
Sys100: Louvred Grille Black Round Spigot	VKC244BLACK
Sys100: Louvred Grille Black Round Spigot & Flyscreen	VKC244BLACKFS
Sys100: Louvred Grille Grey (RAL 7016) Round Spigot	VKC244GREY
Sys100: Louvred Grille Grey RAL7016 Round Spigot F/5	VKC244GREYFS
Sys100: Louvred Grille Terracotta Round Spigot	VKC244TERRACOTTA
Sys100: Louvred Grille Terracotta Round Spigot & Flyscreen	VKC244TERRACOTTAF5
Sys100: Louvred Grille White Round Spigot	VKC244WHITE
Sys100: Louvred Grille White Round Spigot & Flyscreen	VKC244WHITEFS
Sys100: Cowl Grille Brown Round Spigot	VKC245BROWN
Sys100: Cowl Grille Beige Round Spigot	VKC245BEIGE
Sys100: Cowl Grille Black Round Spigot	VKC245BLACK
Sys100: Cowl Gravity Grille 4" Grey	VKC245GREY
Sys100: Cowl Grille Terracotta Round Spigot	VKC245TERRACOTTA
Sys100: Cowl Grille White Round Spigot	VKC245WHITE
Sys100: Airbrick Adaptor c/w Brown Grille (110x54)	VKC247GBROWN
Sys100: Airbrick Adaptor c/w Beige Grille (110X54)	VKC247GBEIGE
Sys100: Airbrick Adaptor c/w Terracotta Grille (110x54)	VKC247GTERRACOTTA
Sys100: Airbrick Adaptor c/w White Grille (110x54)	VKC247GWHITE
Sys100: Round Grille White (100) c/w flyscreen	VKC256WHITE
Sys100: Round Grille Brown (100)	VKC256BROWN
Sys100: Round Grille Beige (100)	VKC256BEIGE
Sys125: Louvred Grille White Round Spigot	VKC268WHITE
Sys125: Louvred Grille Brown Round Spigot	VKC268BROWN
Sys125:Louvred Grille Beige Round Spigot & Flyscreen	VKC268BEIGEF5
Sys125: Louvred Grille Beige Round Spigot	VKC268BEIGE
Sys125:Louvred Grille Brown Round Spigot & Flyscreen	VKC268BROWNFS
Sys125: Louvred Grille Black Round Spigot	VKC268BLACK
Sys125: Louvred Grille Black Round Spigot & Flyscreen	VKC268BLACKFS
Sys125: Louvred Grille White Round Spigot & Flyscreen	VKC268WHITEFS
Sys125: Louvred Grille Terracotta Round Spigot	VKC268TERRACOTTA
Sys125: Louvred Grille Terracotta Round Spigot & Flyscreen	VKC268TERRACOTTAF5
Sys125: Gravity Grille Brown Round Spigot	VKC270BROWN
Sys125: Gravity Grille Beige Round Spigot	VKC270BEIGE
Sys125: Gravity Grille Black Round Spigot	VKC270BLACK
Sys125: Gravity Grille Terracotta Round Spigot	VKC270TERRACOTTA
Sys125: Gravity Grille White Round Spigot	VKC270WHITE
Sys150: Louvred Grille White Round Spigot	VKC275WHITE
Sys150: Louvred Grille Brown Round Spigot	VKC275BROWN
Sys150: Louvred Grille Beige Round Spigot	VKC275BEIGE
Sys150: Louvred Grille Beige Round Spigot & Flyscreen	VKC275BEIGEF5
Sys150: Louvred Grille Brown Round Spigot & Flyscreen	VKC275BROWNFS


Product Description	Product Code
Sys150: Louvred Grille Black	VKC275BLACK
Sys150: Louvred Grille Black c/w Flyscreen	VKC275BLACKFS
Sys150: Louvred Grille White Round Spigot & Flyscreen	VKC275WHITEFS
Sys150: Louvred Grille Terracotta Round Spigot	VKC275TERRACOTTA
Sys150: Louvred Grille Terracotta Round Spigot & Flyscreen	VKC275TERRACOTTAF5
Sys150: 150mm Cowl Grill Brown	VKC280BROWN
Sys150: 150mm Cowl Grille Beige	VKC280BEIGE
Sys150: 150mm Cowl Grille Terracotta	VKC280TERRACOTTA
Sys150: 150mm Cowl Grille White	VKC280WHITE
Sys125: Cowl Grille White Round Spigot (150x70)	VKC289WHITE
Sys125: Cowl Grille Brown Round Spigot (150x70)	VKC289BROWN
Sys125: Cowl Grille Beige Round Spigot (150x70)	VKC289BEIGE
Sys125: Cowl Grille Black Round Spigot (150x70)	VKC289BLACK
Sys125: Cowl Gravity Grille 5" Grey	VKC289GREY
Sys125: Cowl Grille Terracotta Round Spigot (150x70)	VKC289TERRACOTTA
Sys150: Gravity Grille Brown Round Spigot	VKC292BROWN
Sys150: Gravity Grille Beige Round Spigot	VKC292BEIGE
Sys150: Gravity Grille Terracotta Round Spigot	VKC292TERRACOTTA
Sys150: Gravity Grille White Round Spigot	VKC292WHITE
Sys204: Airbrick Brown (204x60)	VKC5631BROWN
Sys204: Airbrick Beige (204x60)	VKC5631BEIGE
Sys204: Airbrick Black (204x60)	VKC5631BLACK
Sys204: Airbrick Telegrey (RAL7045)	VKC5631GREY
Sys204: Airbrick Anthracite Grey (RAL7016)	VKC5631DARKGREY
Sys204: Airbrick Terracotta (204x60)	VKC5631TERRACOTTA
Sys204: Airbrick White (204x60)	VKC5631WHITE
Sys204: Double Airbrick Adaptor with Beige Grilles (204x60)	VKC5633GBEIGE
Sys204: Double Airbrick Adaptor with Brown Grilles (204x60)	VKC5633GBROWN
Sys204: Double Airbrick Adaptor c/w Anthracite Grey Grilles	VKC5633GDARYGREY
Sys204: Double Airbrick Adaptor with Light Grey Grilles	VKC5633GGREY
Sys204: Double Airbrick Adaptor with Terracotta Grilles	VKC5633GTERRACOTTA
Sys204: Double Airbrick Adaptor with White Grilles	VKC5633GWHITE
Sys204: Airbrick with Beige Grille & Surround	VKC5635BEIGE
Sys204: Airbrick with Black Grille & Surround	VKC5635BLACK
Sys204: Airbrick with Brown Grille & Surround	VKC5635BROWN
Sys204: Airbrick with Terracotta Grille & Surround (204x60)	VKC5635TERRACOTTA
Sys204: Airbrick with White Grille & Surround	VKC5635WHITE
Sys220: Airbrick Adaptor c/w Brown Grille	VKC5733GBROWN
Sys220: Airbrick Adaptor c/w Beige Grille	VKC5733GBEIGE
Sys220: Airbrick Adaptor c/w Black Grille	VKC5733GBLACK
Sys220: Double Airbrick Adaptor with Light Grey Grilles	VKC5733GGREY
Sys220: Airbrick Adaptor c/w Terra Grille	VKC5733GTERRACOTTA
Sys220:Airbrick Adaptor c/w White Grille	VKC5733GWHITE
Sys225: Airbrick Adaptor with Brown Grille (234x29)	VKC703GBROWN
Sys225: Airbrick Adator with Beige Grille (234x29)	VKC703GBEIGE
Sys225: Airbrick Adaptor with Black Grill (234x29)	VKC703GBLACK
Sys225: Airbrick Adaptor with Light Grey Grills (234x29)	VKC703GGREY
Sys225: Airbrick Adaptor with Terracotta Grille (234x29)	VKC703GTERRACOTTA
Sys225: Airbrick Adaptor with White Grill (234x29)	VKC703GWHITE
Airbrick Grille White	VKC704WHITE
Airbrick Grille Brown	VKC704BROWN
Airbrick Grille Beige	VKC704BEIGE
Airbrick Grille Black	VKC704BLACK
Airbrick Grille Grey HS 8900/2	VKC704GREY
Airbrick Grille Anthracite Grey (RAL 7016)	VKC704DARKGREY
Airbrick Grille Terracotta	VKC704TERRACOTTA
Sys225: Double Airbrick Adaptor with Brown Grills	VKC712GBROWN
Sys225: Double Airbrick Adaptor with Beige Grills	VKC712GBEIGE
Sys225: Double Airbrick Adaptor with Light Grey Grills	VKC712GGREY
Sys225: Double Airbrick Adaptor with Terracotta Grills	VKC712GTERRACOTTA
Sys225: Double Airbrick Adaptor with White Grills	VKC712GWHITE
Airbrick Grille Brown with Surround	VKC714BROWN
Airbrick Grille Beige with Surround	VKC714BEIGE
Air Brick Grille Black With Surround	VKC714BLACK
Airbrick Grille Terracotta with Surround	VKC714TERRACOTTA
Airbrick Grille White with Surround	VKC714WHITE
Sys150:Louvred Grille Brown Round Spigot & Flyscreen	VKC275BROWNFS



DID YOU KNOW?

You can view the products on our website for product images, technical data sheets and more.

CLICK
HERE!



DID YOU KNOW?

We have a dedicated team and in 2022 we sucessfully achieved a Silver Award with Investor in Customers. Please reach out to our team of experts for any enquiries.

CLICK HERE!

PRE PACKED KITS

COOKER HOOD

Product Description	White	Brown	Beige	Terracotta
100mmØ 1m with Gravity Outlet Kit	VVK224	VVK244B	VVK224BE	VVK224T
125mmØ 1m with Adaptor to 100mmØ Round Kit	VVK520			
125mmØ 1m with Gravity Outlet Kit	VVK225	VVK225B		
125mmØ 1m with Cowl Outlet Kit	VVK265	VVK265B		
204x60mm Rectangular 3m with Airbrick & Horizontal Bend Kit	VVK5650	VVK5650B		
150mm Round x 1m Flexible Cooker Hood Kit	VVK669			
180x90mm Rectangular 3m with Airbrick & Horizontal Bend Kit	VVK668	VVK668B	VVK668BE	VVK668T
110x54mm Rectangular x 3m Long with Cowl Outlet Kit	VVK312W			
110x54mm Rectangular x 3m with Cowl & Horizontal Bend Kit	VVK483	VVK483B		VVK483T
150x70mm Rectangular x 3m with Airbrick, Horizontal Bend & Reducer to 100mmØ Kit	VVK316A			

THROUGH THE WALL

Product Description	White	Brown	Beige	Terracotta
100mØ Round Internal Ventilator	VVK200W	VVK200B	VVK200BE	VVK200T

TUMBLE DRYER

Product Description	White	Brown	Beige	Terracotta
Indoor Tumble Dryer Venting Kit	VVK675P			





DID YOU KNOW?

We also have a chat agent available on our website. During our opening hours it will be managed by our amazing team.

**CLICK
HERE!**



**+44 (0) 1202
825898**

If you have any queries regarding placing an order, or if you would like more information about any of our product ranges, please reach out to our team of experts who will be happy to help you.

Simply give us a call or reach out to us via email or through our contact page on our website.

NEED HELP?

FAQs

FAQS

Visit our frequently asked questions page on our website. Here you can find regular questions asked about our ordering process or technical information.

Follow us on social media and subscribe to our YouTube. Find out more about who we are as a company, our people and our products.

Follow us on SOCIAL MEDIA

WEBSITE



EMAIL



YOUTUBE




LINKEDIN



For technical information, please click the product code





DID YOU KNOW?

You can also inform us of an order issue through the 'Raise a Case' section on our customer portal

VISIT OUR WEBSITE

Orders Below £25

Orders Below £250

For small orders valued below £25, an admin fee of £25 will be applied. Delivery charges will also be applied in addition to this. Please refer to our delivery charges for the relevant fees.

Delivery is free for orders over £250. Orders below this value are subject to a £27 delivery charge. (This applies to standard deliveries in mainland Britain only). Additional charges apply for special vehicle or timed requests, see table.

Standard Orders

Small to medium standard orders have a 4-working day lead time. If changes to your Purchase Order are needed, the lead time begins upon receipt of the amended PO.

Cancelled Orders

If an order is cancelled after being picked and awaiting dispatch, a 40% handling fee will be charged to cover the costs associated with the prior preparation and cancellation of your order.

Collecting Your Order

You have the option to collect the order yourself or arrange for your own carrier, instead of choosing delivery. Please inform us during the ordering process if you prefer collection. Collection must occur within 7 days of our notification that the order is ready. Failure to collect within this timeframe will result in order cancellation and a 40% restocking fee will be applied.

Large Orders

Orders of significant size require a lead time of 1-2 weeks. Your expected delivery date will be detailed on the order confirmation we send to you.

Bespoke Orders

Bespoke orders require a 4-6 week lead time. Your expected delivery date will be detailed on the order confirmation we send to you.

Changing Your Order

After processing your order and sending a confirmation, we are unable to make any changes to it.



International Orders

International orders will incur carriage charges based on actual costs. Contact us during the order placement for an estimated price, but please be aware that this may change at the time of transportation booking. The final cost will be confirmed once the order is packed and ready for shipping.



ORDER & DELIVERY TERMS

Find out all the information you need about our order and delivery terms on this page and as always our team is there to answer any further questions you have.

Delivery Requirements	Cost (Ex Vat)
Small order charge (Orders below £25)	£25.00
Pre 9am	£40.00
Timed Delivery Charge	£38.00
Site Delivery Charge	TBC
10am-4pm Delivery Requested	£27.00
Carriage Fee - Export	TBC
Below Minimum Order Value - £27 Charge	£27.00
Pre-Noon Delivery	£27.00
Pre 10 AM Delivery	£40.00
After 4.00pm Timed	£32.00
Saturday AM Delivery	£49.00
Requested Tail Lift Assistance	£27.00
FORS Registered Vehicle - Price TBC at time of booking	TBC
Small Vehicle Request (7.5T and Under)	£22.00
Book In/ Rebook In Service	£11.00
Redelivery / Wasted Journey - TBC at the time of incident	TBC
Extended Waiting (30mins after arrival)	£27.00
Hand Ball Off Vehicle or Re-packing cost	£27.00
Standard Delivery Over Minimum Value	TBC
Obliged Parking Fines Occurred in Delivery Drop - TBC at time of incident	TBC
Storage Cost (£9 per pallet per day)	£9.00
Collection	£0.00
Carriage at Cost - COST TBC BEFORE DESPATCH	TBC

Goods Ordered in Error

Returns or credits cannot be processed for goods ordered in error.

For Problems With Your Order

Upon receiving your delivery, please report any issues such as missing products, damaged goods, or incorrect items in writing within 7 working days, by emailing aftersales@verplas.co.uk.

Failure to notify us within this period will result in us being unable to provide replacements or credits.

Agreed Terms

In the event of an agreed return under exceptional circumstances, a 40% restocking fee will apply. The goods must be returned at your expense and in a resellable condition, goods must be returned within 7 working days.

Stock Cleanse

We do not offer a stock cleanse.

For technical information, please click the product code

