





# Product Catalogue

[www.Verplas.co.uk](http://www.Verplas.co.uk)      [Sales@Verplas.co.uk](mailto:Sales@Verplas.co.uk)      01202 825898



Improving people's lives by providing fresh air solutions, creating healthier homes for a cleaner and more sustainable future

# CONTENTS PAGE



**About Us**  
Page: 3



**Flexible Hose Range**  
Pages: 20 - 21



**Pre-Packed Kits Range**  
Pages: 32 - 33



**Kit Colour Codes**  
Pages: 44



**Rectangular Ducting Range**  
Pages: 4 - 7



**External Grilles Range**  
Pages: 22 - 25



**Radial Ducting Range**  
Pages: 34 - 37



**Contact and Socials**  
Pages: 45



**Round Ducting Range**  
Pages: 8 - 11



**Internal Valves Range**  
Pages: 26 - 27



**Tile Ventilators Range**  
Pages: 38 - 39



**Rapid Self-Seal Range**  
Pages: 12 - 14



**Noise Reduction Range**  
Pages: 28 - 29



**Ducting Accessories Range**  
Pages: 40 - 42



**Rapid Self-Seal Thermal Range**  
Pages: 15 - 19



**Fire Solutions Range**  
Pages: 30 - 31



**Grille Colour Codes**  
Page: 43



## OUR MISSION

Improving people's lives by providing fresh air solutions, creating healthier homes for a cleaner and more sustainable future.



### The Carbon Literacy Project

We take sustainability seriously, so much so that we are proud to be accredited as a Bronze Carbon Literate Organisation. We will continue to make improvements to our processes and further educate our team to minimise our environmental impact as much as possible.



### Investor in Customers

Our unstoppable team is highly dedicated to providing customer excellence. We have successfully achieved a Gold Customers. We use the feedback obtained through this service to help guide us and further elevate our customer experience.

## OUR VALUES

Innovation and Creativity

Trust, Respect and Support the Team

Open and Honest Two Way Communication

Together we are Committed to Customer Excellence

Inspire, Motivate & Be Positive



## About Us

Established in 1986, we steadily grew into one of the market leading ventilation manufacturers within the UK, known for our quality and innovation. With both extrusion and injection moulding capabilities, we continue to innovate revolutionary products that benefits the end user, the installer and also the suppliers of our products.


Within our catalogue we have a vast range of products, created by our unstoppable team, with both quality and sustainability in mind. We are also BS EN ISO 9001 approved, and we pride ourselves on the high standard of our quality. When you choose Verplas, you are also choosing sustainable methods and materials without compromising quality. We thank you for choosing Verplas and choosing high values, quality, and sustainability. Together we believe we can make a difference through our processes and how it affects the world around us and through the products we produce, Indoor Air Quality is becoming more and more important in people's everyday lives and we are proud to be part of this industry.

We have award winning products that provide the installer with an easy installation method that significantly reduces time on site and minimises air leakage. To find out more, please go to pages 12 and 15. Customer Excellence is one of our core values, with that being said, we would like to welcome you to our latest edition of our catalogue. We have created an interactive catalogue of our core products, so you are able to easily access the technical information by simply clicking on the product code.

If you have any questions or would like to supply Verplas products and place an order, please reach out to our team of experts who will be happy to help. As we do not sell to the general public, we can direct you towards the nearest supplier of our products.

OUR AWARD WINNING  
SELF-SEAL  
TECHNOLOGY

RAPID  
SELF-SEAL



RAPID  
SELF-SEAL  
THERMAL

➤ Using our award winning Self-Seal Technology

➤ Only 1 Installer required

➤ No tape, sealant or tek screws required

[www.Verplas.co.uk](http://www.Verplas.co.uk)

[Sales@Verplas.co.uk](mailto:Sales@Verplas.co.uk)

01202 825898



## Available Sizes

110 x 54mm

150 x 70mm

180 x 90mm

204 x 60mm

220 x 90mm

234 x 29mm

Click Here  
to View the  
Whole Range




# RECTANGULAR DUCTING Range

With sizes from 110x54mm to 234x29mm, we have a whole host of ducting sizes to suit your ducting needs.

With the desire to maximise living space and ceiling height, rectangular ducts are the perfect solution for small ceiling void applications and tight spaces. The Verplas Rectangular Ducting Range is designed to maximise airflow and contribute to lower system resistance.

204x60mm is one of the most popular system sizes used in the market, the low-profile aspect of the system ensures they can be easily concealed where space is restricted whilst still retaining the ability to handle high extraction rates.

Our 110x54mm ducting range provides the perfect solution for traditional fan installations, our high flow 220x90mm ducting offers increased free area to accommodate larger airflow requirements whilst ensuring ceiling installation space is kept to a minimum.





DID YOU KNOW?

On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

CLICK HERE!



Rectangular Ducting Length

| Key Products:                |         |     |
|------------------------------|---------|-----|
| 204x60mm Flat Channel x 1m   | VKC5604 | 204 |
| 204x60mm Flat Channel x 1.5m | VKC5628 |     |
| 204x60mm Flat Channel x 2m   | VKC5629 |     |
| 220x90mm Flat Channel x 1m   | VKC5704 | 220 |
| 220x90mm Flat Channel x 1.5m | VKC5728 |     |
| 220x90mm Flat Channel x 2m   | VKC5729 |     |
| Also Available In:           |         |     |
| 110x54mm x 1m Flat Channel   | VKC249  |     |
| 110x54mm x 1.5m Flat Channel | VKC240  |     |
| 110x54mm x 2m Flat Channel   | VKC297  |     |
| 150x70mm x 1m Flat Channel   | VKC604  |     |
| 180x90mm x 1m Flat Channel   | VKC651  |     |
| 234x29mm x 1m Flat Channel   | VKC706  |     |
| 234x29mm x 2m Flat Channel   | VKC707  |     |



204x60mm & 220x90mm available in our Rapid Self-Seal!

Rectangular 90° Horizontal Bend

| Key Products:            |          |     |
|--------------------------|----------|-----|
| 204x60mm                 | VKC5605  | 204 |
| 204x60mm Rapid Self-Seal | VSSC5605 |     |
| 220x90mm                 | VKC5705  | 220 |
| 220x90mm Rapid Self-Seal | VSSC5705 |     |
| Also Available In:       |          |     |
| 110x54mm                 | VKC238   |     |
| 150x70mm                 | VKC605   |     |
| 180x90mm                 | VKC654   |     |
| 234x29mm                 | VKC701   |     |



204x60mm & 220x90mm available in our Rapid Self-Seal!

Rectangular Duct Connector

| Key Products:                            |           |     |
|------------------------------------------|-----------|-----|
| 204x60mm                                 | VKC5608   | 204 |
| 204x60mm Rapid Self-Seal Duct to Duct    | VSSC204DD |     |
| 204x60mm Rapid Self-Seal Duct to Fitting | VSSC204DF |     |
| 220x90mm                                 | VKC5708   | 220 |
| 220x90mm Rapid Self-Seal Duct to Duct    | VSSC220DD |     |
| 220x90mm Rapid Self-Seal Duct to Fitting | VSSC220DF |     |
| Also Available In:                       |           |     |
| 110x54mm                                 | VKC235    |     |
| 150x70mm                                 | VKC608    |     |
| 180x90mm                                 | VKC652    |     |
| 234x29mm                                 | VKC700    |     |



Rectangular 90° Vertical Bend

| Key Products:      |         |     |
|--------------------|---------|-----|
| 204x60mm           | VKC5612 | 204 |
| 220x90mm           | VKC5712 |     |
| 220                |         |     |
| Also Available In: |         |     |
| 110x54mm           | VKC239  |     |
| 150x70mm           | VKC612  |     |
| 180x90mm           | VKC653  |     |
| 234x29mm           | VKC710  |     |



Rectangular Ducting Support Clip

| Key Products:      |         |     |
|--------------------|---------|-----|
| 204x60mm           | VKC5610 | 204 |
| Also Available In: |         |     |
| 110x54mm           | VKC230  |     |
| 150x70mm           | VKC610  |     |
| 180x90mm           | VKC664  |     |
| 234x29mm           | VKC705  |     |



204x60mm & 220x90mm available in our Rapid Self-Seal!

Rectangular 45° Horizontal Bend

| Key Products:            |          |     |
|--------------------------|----------|-----|
| 204x60mm                 | VKC5616  | 204 |
| 204x60mm Rapid Self-Seal | VSSC5616 |     |
| 220x90mm                 | VKC5716  | 220 |
| 220x90mm Rapid Self-Seal | VSSC5716 |     |
| Also Available In:       |          |     |
| 110x54mm                 | VKC227   |     |
| 234x29mm                 | VKC711   |     |

For technical information, please click the product code





DID YOU KNOW?

Some of our products are also made in our Rapid Self-Seal range, complete with our integrated self-seal technology. Click the button below to find out more.

CLICK HERE!



Rectangular 45° Vertical Bend

| Key Products:      |         |     |
|--------------------|---------|-----|
| 204x60mm           | VKC5617 | 204 |
| 220x90mm           | VKC5717 | 220 |
| Also Available In: |         |     |
| 110x54mm           | VKC226  |     |
| 234x29mm           | VKC709  |     |



Rectangular to Round Adaptor

| Key Products:      |         |     |
|--------------------|---------|-----|
| 204x60mm to 100mmØ | VKC5615 | 204 |
| 204x60mm to 125mmØ | VKC5613 | 220 |
| 220x90mm to 150mmØ | VKC5713 |     |
| Also Available In: |         |     |
| 150x70mm to 125mmØ | VKC613  |     |
| 180x90mm to 150mmØ | VKC650  |     |
| 234x29mm to 100mmØ | VKC708  |     |



Rectangular T-Piece

| Key Products:            |          |     |
|--------------------------|----------|-----|
| 204x60mm                 | VKC5630  | 204 |
| 204x60mm Rapid Self-Seal | VSSC5630 |     |
| 220x90mm                 | VKC5730  | 220 |
| 220x90mm Rapid Self-Seal | VSSC5730 |     |
| Also Available In:       |          |     |
| 110x54mm                 | VKC228   |     |

204x60mm & 220x90mm available in our Rapid Self-Seal!



Rectangular Wall Plate

| Key Products:      |         |     |
|--------------------|---------|-----|
| 204x60mm           | VKC5601 | 204 |
| Also Available In: |         |     |
| 110x54mm           | VKC206  |     |
| 150x70mm           | VKC601  |     |
| 180x90mm           | VKC657  |     |



Rectangular Elbow Bend Plenum

| Key Products:                   |         |     |
|---------------------------------|---------|-----|
| 204x60mm 100mmØ Spigot          | VKC5644 | 204 |
| 204x60mm 125mmØ Spigot          | VKC5645 |     |
| 204x60mm 150mmØ Spigot          | VKC5646 |     |
| 204x60mm 100mmØ Rotating Spigot | VKC5625 |     |
| 204x60mm 125mmØ Rotating Spigot | VKC5606 |     |
| 204x60mm 150mmØ Rotating Spigot | VKC5626 |     |
| 220x90mm 125mmØ Spigot          | VKC5706 | 220 |
| 220x90mm 150mmØ Spigot          | VKC5726 |     |
| Also Available In:              |         |     |
| 110x54mm Male - 100mmØ Spigot   | VKC237  |     |
| 110x54mm Female - 100mmØ Spigot | VKC236  |     |
| 150x70mm 125mmØ Spigot          | VKC606  |     |
| 234x29mm 100mmØ Spigot          | VKC702  |     |



Rectangular Airbrick Adaptor

| Key Products:                |          |     |
|------------------------------|----------|-----|
| 204x60mm Double with Grilles | VKC5633G | 204 |
| 204x60mm Single with Grilles | VKC5631  |     |
| 220x90mm Double              | VKC5733  | 220 |
| 220x90mm Reducer             | VKC5756  |     |
| 220x90mm Double with Grilles | VKC5733G |     |
| Also Available In:           |          |     |
| 110x54mm                     | VKC247   |     |

For technical information, please click the product code





Rectangular Flexible Bend

Key Products:

|          |         |     |
|----------|---------|-----|
| 204x60mm | VKC5627 | 204 |
| 220x90mm | VKC5727 | 220 |

Also Available In:

|          |        |
|----------|--------|
| 110x54mm | VKC229 |
| 150x70mm | VKC627 |
| 180x90mm | VKC676 |



Rectangular Cross Over Duct

Key Products:

|          |         |     |
|----------|---------|-----|
| 204x60mm | VKC5653 | 204 |
|----------|---------|-----|



Rectangular Adaptor

Key Products:

|                      |         |     |
|----------------------|---------|-----|
| 204x60mm to 220x90mm | VKC5643 | 204 |
|----------------------|---------|-----|




Our Cross Over Duct Connector enables  
Installers to bypass obstacles whilst  
minimising resistance.



Why do this?

- More Cuts
- More Materials
- Awkward
- Stressful
- More Mess



When you can do this?

- Fewer Cuts
- Fewer Materials
- Less Awkward
- Less Stress
- Less Mess



DID YOU KNOW?

Our extruded  
ducting is created  
using high quality,  
recycled windows  
and door frames;  
saving  
thousands of  
tonnes of waste  
plastic from going  
to landfill!



For technical  
information,  
please click the  
product code





## Available Sizes

100mmØ

125mmØ

150mmØ

Click Here  
to View the  
Whole Range




# ROUND DUCTING Range

Our round low resistance ducting systems are available in 100mm, 125mm and 150mm diameters to suit standard mechanical ventilation systems.

Supplied in 1m, 1.5m and 2m lengths this diverse product range is perfect for all ventilation strategies due to the fact that it is available with a full range of fittings to ease the overall installation process.

The round ducting systems are traditionally used alongside fans or mechanical heat recovery systems with an extensive range of fittings, outlets and grilles.





DID YOU KNOW?

Our Universal Pipe Clip is very easy to install, please click the button below to view a 4 step guide on how to install it.



Round Pipe

Key Products:

|                    |         |
|--------------------|---------|
| 125mmØ x 350mm     | VKC266  |
| 125mmØ x 1m        | VKC267  |
| 125mmØ x 1.5m      | VKC269  |
| 125mmØ x 2m        | VKC2692 |
| Also Available In: |         |
| 100mmØ x 350mm     | VKC242  |
| 100mmØ x 1m        | VKC250  |
| 100mmØ x 1.5m      | VKC299  |
| 100mmØ x 2m        | VKC2992 |
| 150mmØ x 350mm     | VKC660  |
| 150mmØ x 1m        | VKC670  |
| 150mmØ x 1.5m      | VKC671  |
| 150mmØ x 2m        | VKC673  |



Round Connector with Damper

Key Products:

|                    |        |
|--------------------|--------|
| 125mmØ             | VKC353 |
| Also Available In: |        |
| 100mmØ             | VKC303 |
| 150mmØ             | VKC363 |



Round Telescopic Pipe

Key Products:

|                    |        |
|--------------------|--------|
| 125mmØ             | VKC357 |
| Also Available In: |        |
| 100mmØ             | VKC307 |
| 150mmØ             | VKC367 |



Round Pipe Fixing Clip

Key Products:

|                        |                     |
|------------------------|---------------------|
| 100mmØ, 125mmØ, 150mmØ | UNIVERSAL-PIPE-CLIP |
|------------------------|---------------------|



Round Connector

Key Products:

|                                        |           |
|----------------------------------------|-----------|
| 125mmØ                                 | VKC355    |
| 125mmØ Rapid Self-Seal Pipe to Pipe    | VSSC125PP |
| 125mmØ Rapid Self-Seal Pipe to Fitting | VSSC125PF |
| Also Available In:                     |           |
| 100mmØ                                 | EK0028    |
| 150mmØ                                 | VKC365    |

125mmØ  
available in our  
Rapid Self-Seal!



Round 90° Bend


Key Products:

|                        |         |
|------------------------|---------|
| 125mmØ                 | VKC350  |
| 125mmØ Rapid Self-Seal | VSSC350 |
| Also Available In:     |         |
| 100mmØ                 | VKC300  |
| 150mmØ                 | VKC360  |

125mmØ  
available in our  
Rapid Self-Seal!

For technical information, please click the product code





DID YOU KNOW?

We also use recycled parts from old fridge freezers to make our connectors; saving plastics from entering landfill.



Round 45° Bend


|                        |         |
|------------------------|---------|
| Key Products:          |         |
| 125mmØ                 | VKC351  |
| 125mmØ Rapid Self-Seal | VSSC351 |
| Also Available In:     |         |
| 100mmØ                 | VKC301  |
| 150mmØ                 | VKC361  |

125mmØ  
available in our  
Rapid Self-Seal!



Round Hose Connector

|                    |        |
|--------------------|--------|
| Key Products:      |        |
| 125mmØ             | VKC271 |
| Also Available In: |        |
| 100mmØ Male        | VKC10  |
| 100mmØ Female      | VKC11  |
| 150mmØ             | VKC659 |



Round T-Piece

|                        |         |
|------------------------|---------|
| Key Products:          |         |
| 125mmØ                 | VKC352  |
| 125mmØ Rapid Self-Seal | VSSC352 |
| Also Available In:     |         |
| 100mmØ                 | VKC302  |
| 150mmØ                 | VKC362  |

125mmØ  
available in our  
Rapid Self-Seal!



Round Hose End

|                 |        |
|-----------------|--------|
| Key Products:   |        |
| 100mmØ to 80mmØ | EK0082 |



Round Wall Plate

|                    |        |
|--------------------|--------|
| Key Products:      |        |
| 125mmØ             | VKC618 |
| Also Available In: |        |
| 100mmØ             | VKC19  |
| 150mmØ             | VKC661 |



Round Reducer

|                        |        |
|------------------------|--------|
| Key Products:          |        |
| 100mmØ to 125mmØ       | VKC603 |
| 125mmØ to 150mmØ       | VKC619 |
| 125mmØ Offset          | VKC621 |
| Also Available In:     |        |
| 100mmØ to 150mmØ       | VKC437 |
| 150mmØ to 200mmØ       | VKC436 |
| 150mmØ to 180mmØ Metal | VKC678 |

For technical  
information,  
please click the  
product code



**DID YOU KNOW?**

Our unstoppable team are continuously working hard to ensure all our products meet the high standards we believe our customers deserve.

**Condensation Trap**

Key Products:

125mmØ

VKC445

Also Available In:

100mmØ

VKC434

**ASSOCIATED PRODUCTS**

Please click the images below to go to associated product ranges for the Round Ducting Range.

**FIRE**

Our Fire Solutions Range include Intumescent fire sleeves, as pictured here, fire rated airbricks, fire rated air valves and accessories.

**GRILLES**

We have a vast range of external grilles, with a great choice of style, size and colour to suit your specific ventilation needs.

**VALVES**


Our Valve range is available in a selection of sizes and finishes to suit your ventilation requirements, whilst being aesthetically pleasing.

**HOSES**

Our hose range consists of multiple hose types across a vast range of sizes to suit the specific requirements.

For technical information, please click the product code





## Available Sizes

125mmØ

204x60mm

220x90mm

Click Here  
to View the  
Whole Range

Complete with our integrated  
Self-Seal Technology!



# RAPID

## [SELF-SEAL]


Our award winning Rapid Self-Seal range is complete with our patented protected self-seal technology, enabling a consistent seal that minimises air loss and removes the need for tek screws, sealant and tape. The self-seal technology means the installation process only requires one Installer and is significantly faster than using traditional installation methods.

We have a selection of our most used products available in fully integrated products, for those not yet available we have bridging components compatible with our 125mmØ round and 204x60mm and 220x90mm rectangular range.

Quick and easy  
to install!

No need for tape, screws or sealant to  
connect the ducts!

We believe in it so much, we put it to the  
test against traditional methods.  
Click this button to see how we got on.





## DID YOU KNOW?

Our Rapid Self-Seal range is over twice as fast to install when using 1 Installer, compared to using traditional ducting with two Installers. This was shown in a recent demonstration. Click the button below to find out more



### Duct to Duct Connector

#### Key Products:

204x60mm Rapid Self-Seal  
220x90mm Rapid Self-Seal

VSSC204DD  
VSSC220DD



### Rectangular 45° Horizontal Bend

#### Key Products:

204x60mm Rapid Self-Seal  
220x90mm Rapid Self-Seal

VSSC5616  
VSSC5716



### Duct to Fitting Connector

#### Key Products:

204x60mm Rapid Self-Seal  
220x90mm Rapid Self-Seal

VSSC204DF  
VSSC220DF



### Rectangular T-Piece

#### Key Products:

204x60mm Rapid Self-Seal  
220x90mm Rapid Self-Seal

VSSC5630  
VSSC5730




### Rectangular 90° Horizontal Bend

#### Key Products:

204x60mm Rapid Self-Seal  
220x90mm Rapid Self-Seal

VSSC5605  
VSSC5705

In a recent demonstration our Rapid Self-Seal was at least twice as fast to install with one installer than traditional screw and glue method using two installers!




Our patented Self-Seal Technology enables a quick and easy fit!

The Self-Seal Technology enables a consistent seal, giving both installers and end users the peace of mind of a ventilation system with minimal air loss.

For technical information, please click the product code





**DID YOU KNOW?**

On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

**CLICK HERE!**



### Pipe to Pipe Connector

**Key Products:**

125mmØ Rapid Self-Seal

VSSC125PP



### Round 45° Bend

**Key Products:**

125mmØ Rapid Self-Seal

VSSC351



### Pipe to Fitting Connector

**Key Products:**

125mmØ Rapid Self-Seal

VSSC125PF



### Round T-Piece

**Key Products:**

125mmØ Rapid Self-Seal

VSSC352



### Round 90° Bend

**Key Products:**

125mmØ Rapid Self-Seal

VSSC350




Complete with our integrated Self-Seal Technology!

No need for tape, screws or sealant to connect the ducts!

Quick and easy to install!

For technical information, please click the product code





## Available Sizes

204x60mm



220x90mm

125mmØ

160mmØ

Click Here  
to View the  
Whole Range

It's as simple as...





# V RAPID [SELF-SEAL] THERMAL


This is our award winning Rapid Self-Seal Thermal range, a combination of graphite impregnated polystyrene and our patented self-seal technology. This powerful combination provides the end user with a highly efficient thermal ventilation system.

Our self-seal technology minimises air loss by creating a consistent seal around the ductwork, giving installers and homeowners the peace of mind of a high quality ventilation system.

An easy system to install, that can be installed just using one Installer. Saving significant time on installation when compared to mineral wool.

We believe in it so much, we put it to the test against traditional methods!  
Click this button to see how we got on!





**DID YOU KNOW?**  
In 2017 Verplas won Best Services Product with the prestigious House Builder Awards for their Rapid Self-Seal Thermal Range.



Rectangular Ducting Length

| Key Products: |                |
|---------------|----------------|
| 204x60mm x 1m | SST-204-1M-IND |
| 204x60mm x 2m | SST-204-2M-IND |
| 220x90mm x 1m | SST-220-1M-IND |
| 220x90mm x 2m | SST-220-2M-IND |



Rectangular 90° Horizontal Bend

| Key Products: |                  |
|---------------|------------------|
| 204x60mm      | SST-204-90HB-IND |
| 220x90mm      | SST-220-90HB-IND |



Duct to Duct Connector

| Key Products: |               |
|---------------|---------------|
| 204x60mm      | SST-204-DDCON |
| 220x90mm      | SST-220-DDCON |



Rectangular 45° Horizontal Bend

| Key Products: |                  |
|---------------|------------------|
| 204x60mm      | SST-204-45HB-IND |
| 220x90mm      | SST-220-45HB-IND |



Duct to Fitting Connector

| Key Products: |               |
|---------------|---------------|
| 204x60mm      | SST-204-DFCON |
| 220x90mm      | SST-220-DFCON |



Rectangular 90° Vertical Bend

| Key Products: |                  |
|---------------|------------------|
| 204x60mm      | SST-204-90VB-IND |
| 220x90mm      | SST-220-90VB-IND |

For technical information, please click the product code



**DID YOU KNOW?**

On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

**CLICK  
HERE!**

**Rectangular 45° Vertical Bend****Key Products:**

204x60mm  
220x90mm

SST-204-45VB-IND  
SST-220-45VB-IND

**Rectangular to Round Adaptor****Key Products:**

204x60mm to 125mmØ  
220x90mm to 160mmØ

SST-204-125ADAP-IND  
SST-220-160ADAP-IND

**Rectangular T-Piece****Key Products:**


204x60mm  
220x90mm

SST-204-TP-IND  
SST-220-TP-IND

**Rectangular Elbow Bend Plenum****Key Products:**


204x60mm to 125mmØ  
220x90mm to 125mmØ  
220x90mm to 160mmØ

SST-204-PL-IND  
SST-220-PL-IND  
SST-220-PL160-IND



Graphite impregnated polystyrene  
enabling thermal properties that  
exceed regulations

Complete with our integrated  
Self-Seal Technology!




No need for tape, screws or sealant  
when connecting the ducts

**RAPID**  
[[SELF-SEAL]]  
**THERMAL**  
**RECTANGULAR**


For technical  
information,  
please click the  
product code





**DID YOU KNOW?**

In a recent demonstration it was almost 3 times faster to install our ThermalDducting using one Installer, compared to 2 Installers using mineral wool!



Round Pipe

|                    |                |
|--------------------|----------------|
| Key Products:      |                |
| 125mmØ x 1m        | SST-125-1M-IND |
| 125mmØ x 2m        | SST-125-2M-IND |
| Also Available In: |                |
| 160mmØ x 1m        | SST-160-1M-IND |
| 160mmØ x 2m        | SST-160-2M-IND |




Round 90° Bend

|                    |                 |
|--------------------|-----------------|
| Key Products:      |                 |
| 125mmØ             | SST-125-90B-IND |
| Also Available In: |                 |
| 160mmØ             | SST-160-90B-IND |



Duct to Duct Connector

|                    |               |
|--------------------|---------------|
| Key Products:      |               |
| 125mmØ             | SST-125-DDCON |
| Also Available In: |               |
| 160mmØ             | SST-160-DDCON |



Round 45° Bend

|                    |                 |
|--------------------|-----------------|
| Key Products:      |                 |
| 125mmØ             | SST-125-45B-IND |
| Also Available In: |                 |
| 160mmØ             | SST-160-45B-IND |



Duct to Fitting Connector

|                    |               |
|--------------------|---------------|
| Key Products:      |               |
| 125mmØ             | SST-125-DFCON |
| Also Available In: |               |
| 160mmØ             | SST-160-DFCON |



Round T-Piece


|                    |                |
|--------------------|----------------|
| Key Products:      |                |
| 125mmØ             | SST-125-TP-IND |
| Also Available In: |                |
| 160mmØ             | SST-160-TP-IND |

For technical information, please click the product code







**DID YOU KNOW?**  
Our award winning Rapid Self-Seal Thermal Range, not only is it super easy to install it also out performs mineral wool & aluminium bubble wrap.



## Rectangular to Round Adaptor

### Key Products:

|                    |                     |
|--------------------|---------------------|
| 204x60mm to 125mmØ | SST-204-125ADAP-IND |
| 220x90mm to 160mmØ | SST-220-160ADAP-IND |



## Rectangle Elbow Bend Plenum

### Key Products:


|                    |                   |
|--------------------|-------------------|
| 204x60mm to 125mmØ | SST-204-PL-IND    |
| 220x90mm to 125mmØ | SST-220-PL-IND    |
| 220x90mm to 160mmØ | SST-220-160PL-IND |



## Thermal 160mmØ Adaptor

### Key Products:

|                  |                     |
|------------------|---------------------|
| 160mmØ to 150mmØ | SST-160-150-ADAPTOR |
|------------------|---------------------|



# RAPID

[[SELF-SEAL]]

# THERMAL

# ROUND

For technical information, please click the product code





Available  
Sizes

82mmØ

102mmØ

127mmØ

133mmØ

152mmØ

203mmØ

254mmØ


110x54mm

150x70mm

204x60mm

220x90mm

Click Here  
to View the  
Whole Range




**FLEXIBLE  
HOSES  
Range**

Within our flexible hose range we offer a wide range of solutions depending on the need of the individual project. With a range of white PVC, insulated and rectangular hoses and much more.

Our range of flexible hoses give installers many choices along with multiple options of both diameter and length.






Our Flexible Hoses range is compatible with the Verplas Round Ducting Range, to view the full range, please click the button below.

CLICK HERE!



White PVC Flexible Hoses

| Key Products:      |               |     |
|--------------------|---------------|-----|
| 100mmØ x 1m        | WPVC102X1     | 100 |
| 100mmØ x 3m        | WPVC102X3     |     |
| 100mmØ x 6m        | WPVC102X6     |     |
| 100mmØ x 15m       | WPVC102X15    |     |
| 100mmØ x 45m       | WPVC102X45BOX |     |
| 133mmØ x 1m        | WPVC133X1     | 133 |
| 133mmØ x 3m        | WPVC133X3     |     |
| 133mmØ x 6m        | WPVC133X6     |     |
| 133mmØ x 15m       | WPVC133X15    |     |
| Also Available In: |               |     |
| 152mmØ x 1m        | WPVC152X1     |     |
| 152mmØ x 3m        | WPVC152X3     |     |
| 152mmØ x 6m        | WPVC152X6     |     |



Flexible Combi Hoses

| Key Products:      |          |     |
|--------------------|----------|-----|
| 102mmØ x 6m        | COM102X6 | 102 |
| 127mmØ x 6m        | COM127X6 | 127 |
| Also Available In: |          |     |
| 152mØ x 6m         | COM152X6 |     |




Grey PVC Flexible Hoses

| Key Products:      |            |     |
|--------------------|------------|-----|
| 102mmØ x 6m        | GPVC102X6  | 102 |
| 102mmØ x 10m       | GPVC102X10 |     |
| 127mmØ x 6m        | GPVC127X6  | 127 |
| 127mmØ x 10m       | GPVC127X10 |     |
| Also Available In: |            |     |
| 82mmØ x 6m         | GPVC82X6   |     |
| 152mmØ x 6m        | GPVC152X6  |     |
| 152mmØ x 10m       | GPVC152X10 |     |
| 203mmØ x 6m        | GPVC203X6  |     |



Flexible Insulated Hoses

| Key Products:                    |            |     |
|----------------------------------|------------|-----|
| 102mmØ x 5m Insulated Aluminium  | INS102x5   | 102 |
| 102mmØ x 10m Insulated Aluminium | INS102x10  |     |
| 102mmØ x 10m Acoustic/ Sono      | SONO102X10 |     |
| 127mmØ x 5m Insulated Aluminium  | INS127x5   | 127 |
| 127mmØ x 10m Insulated Aluminium | INS127x10  |     |
| 127mmØ x 10m Acoustic/ Sono      | SONO127X10 |     |
| Also Available In:               |            |     |
| 152mmØ x 5m                      | INS152X5   |     |
| 152mmØ x 10m                     | INS152X10  |     |
| 152mmØ x 10m                     | SONO152X10 |     |



Flexible & Semi Rigid Aluminium Hoses

| Key Products:                      |             |     |
|------------------------------------|-------------|-----|
| 102mmØ x 10m Flexible Aluminium    | ALUM102X10  | 102 |
| 102mmØ x 1.5m Semi-Rigid Aluminium | A1.5MS/R102 |     |
| 102mmØ x 3m Semi-Rigid Aluminium   | A3MS/R102   |     |
| 127mmØ x 10m Flexible Aluminium    | ALUM127X10  | 127 |
| Also Available In:                 |             |     |
| 82mmØ x 10m Flexible Aluminium     | ALUM82X10   |     |
| 152mmØ x 10m Flexible Aluminium    | ALUM152X10  |     |




Rectangular Flexible Hoses

| Key Products:       |               |     |
|---------------------|---------------|-----|
| 204x60mm x 3m PVC   | WPVC206X62REC | 204 |
| 204x60mm x 6m Combi | COMR204X6     |     |
| 220x90mm x 3m PVC   | WPVC220X90REC | 220 |
| Also Available In:  |               |     |
| 110x54mm x 3m PVC   | WPVC110X55REC |     |

For technical information, please click the product code





## Available Sizes

100mmØ

125mmØ

150mmØ

160mmØ

110x54mm

204x60mm

220x90mm

234x29mm

Click Here  
to View the  
Whole Range




# EXTERNAL GRILLES Range

Our range of external grilles are designed to suit many applications. We offer a range of styles and sizes including louvres grilles, airbricks, gravity grilles and cowl vents as well as a range of stainless steel products including bullnose vents and much more.

Within this range, where multiple colours are available the full list of codes will be displayed on page 44. RAL numbers are also displayed on page 25.





DID YOU KNOW?

We have grilles in multiple colours and sizes. To view all the colour and size codes, please click the button below.

CLICK HERE!

Louvre Grille

Key Products:

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |        |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 100mmØ |       | VKC244 |
| 125mmØ |       | VKC268 |

Also Available In:

|          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |        |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 150mmØ   |       | VKC275 |
| 110x54mm |       | VKC233 |

Gravity Outlet

Key Products:

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |        |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 100mmØ |       | VKC243 |
| 125mmØ |       | VKC270 |

Also Available In:

|          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |        |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 150mmØ   |       | VKC292 |
| 110x54mm |       | VKC231 |

Louvre Grille with Flyscreen

Key Products:

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |           |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 100mmØ |       | VKC244F/S |
| 125mmØ |       | VKC268F/S |

Also Available In:

|          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |           |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 150mmØ   |             | VKC275F/S |
| 110x54mm |       | VKC233F/S |

Round Facia Louvre Grille

Key Products:

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                     |        |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 100mmØ |      | VKC256 |
| 125mmØ |      | VKC617 |

Cowl with Non Return Flap

Key Products:

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |        |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 100mmØ |       | VKC245 |
| 125mmØ |       | VKC289 |

Also Available In:

|          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |        |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 150mmØ   |       | VKC280 |
| 110x54mm |       | VKC232 |

Stainless Steel Bull Nose Louvre

Key Products:


|        |       |
|--------|-------|
| 100mmØ | SS100 |
| 125mmØ | SS120 |

Also Available In:

|        |       |
|--------|-------|
| 150mmØ | SS150 |
|--------|-------|

For technical information, please click the product code





**DID YOU KNOW?**  
On our website you can download multiple technical data sheets in one go, click the button below to visit our technical data sheet download page

**CLICK HERE!**



Stainless Steel Bull Nose Wire

|                    |       |
|--------------------|-------|
| Key Products:      |       |
| 100mmØ             | SS101 |
| 125mmØ             | SS121 |
| Also Available In: |       |
| 150mmØ             | SS151 |
| 160mmØ             | SS161 |



Single Airbrick Adaptor

|                    |          |
|--------------------|----------|
| Key Products:      |          |
| 204x60mm           | VKC5608G |
| Also Available In: |          |
| 110x54mm           | VKC247   |




Stainless Steel Cowl with Flap

|                    |       |
|--------------------|-------|
| Key Products:      |       |
| 100mmØ             | SS103 |
| 125mmØ             | SS123 |
| Also Available In: |       |
| 150mmØ             | SS153 |



Single Airbrick with Grille

|                        |         |
|------------------------|---------|
| Key Products:          |         |
| 204x60mm               | VKC5631 |
| 204x60mm with Surround | VKC5635 |
| Also Available In:     |         |
| 150x70mm               | VKC616R |
| 180x90mm               | VKC662  |



Stainless Steel Gravity Outlet

|                    |       |
|--------------------|-------|
| Key Products:      |       |
| 100mmØ             | SS102 |
| 125mmØ             | SS122 |
| Also Available In: |       |
| 150mmØ             | SS152 |




Double Airbrick Adaptor

|               |         |
|---------------|---------|
| Key Products: |         |
| 204x60mm      | VKC5633 |
| 220x90mm      | VKC5733 |

For technical information, please click the product code





DID YOU KNOW?  
Buildings over  
18m in height  
require fire rate  
grilles



Double Airbrick with Grilles

Key Products:  
204x60mm VKC5633G  
220x90mm VKC5733G



Airbrick Grille


Key Products:  
For both Single & Double Airbrick Adaptors  VKC704



Airbrick Grille with Surround

Key Products:  
For Airbrick Adaptor VKC247 & VKC5608G VKC714

RAL NUMBERS



For technical  
information,  
please click the  
product code





## Available Sizes


100mmØ

125mmØ

150mmØ

160mmØ


Click Here  
to View the  
Whole Range




# INTERNAL VALVES Range

Our Range of Internal Valves are available in white or stainless steel, both stylish and discrete. Due to their unobtrusive nature the valves work to provide a quality finish within your new or existing home.

Once installation is complete, the valves are tamper proof but fully adjustable and commissionable with a full locking mechanism. Available in supply, extract and multi-purpose options the valves are designed to suit every installation.





**DID YOU KNOW?**

Our range of internal Valves is compatible with the Roud Verplas Ducting Range. To view the full Round Ducting Range, please click the button below

**CLICK HERE!**



Internal Extract Steel Air Valve

|                    |       |
|--------------------|-------|
| Key Products:      |       |
| 100mmØ             | MW104 |
| 125mmØ             | MW124 |
| Also Available In: |       |
| 150mmØ             | MW154 |
| 200mmØ             | MW204 |



Universal Stainless Steel Air Valve

|                    |       |
|--------------------|-------|
| Key Products:      |       |
| 100mmØ             | SS104 |
| 125mmØ             | SS124 |
| Also Available In: |       |
| 150mmØ             | SS154 |



Internal Supply Steel Air Valve

|                    |       |
|--------------------|-------|
| Key Products:      |       |
| 100mmØ             | MW105 |
| 125mmØ             | MW125 |
| Also Available In: |       |
| 150mmØ             | MW155 |
| 200mmØ             | MW205 |




Fire Rated Steel Air Valves

|                      |          |
|----------------------|----------|
| Key Products:        |          |
| 100mmØ Extract Valve | MW104FRE |
| 100mmØ Supply Valve  | MW105FRS |
| 125mmØ Extract Valve | MW124FRE |
| 125mmØ Supply Valve  | MW125FRS |
| Also Available In:   |          |
| 150mmØ Extract Valve | MW154FRE |
| 150mmØ Supply Valve  | MW155FRS |
| 200mmØ Extract Valve | MW204FRE |
| 200mmØ Supply Valve  | MW205FRS |

For technical information, please click the product code





## Available Sizes

204x60mm


220x90mm


Click Here  
to View the  
Whole Range



# NOISE SOLUTIONS Range

Our high flow attenuators allow flexibility for designers to choose the right noise solutions to best suit their needs, this can assist in preventing external noise ingress transmitting through the ventilation duct and limit cross talk between rooms. The full range of Verplas Noise Solutions are anti – corrosive, lightweight, building regulation driven and easy to install.





**DID YOU KNOW?**  
Our Noise  
Solution Range  
is designed to  
reduce fan noise  
and sound  
transference  
between rooms.



0.5m Rectangular Duct Silencer

| Key Products:    |         |
|------------------|---------|
| 204x60mm         | VKC5660 |
| 204x60mm Hi-Flow | VKC5663 |
| 220x90mm         | VKC5760 |



Sono Flexible Hoses

| Key Products:               |            |
|-----------------------------|------------|
| 102mmØ x 10m Acoustic/ Sono | SONO102X10 |
| 127mmØ x 10m Acoustic/ Sono | SONO127X10 |
| Also Available In:          |            |
| 152mmØ x 10m                | SONO152X10 |



1m Rectangular Duct Silencer

| Key Products:    |         |
|------------------|---------|
| 204x60mm         | VKC5661 |
| 204x60mm Hi-Flow | VKC5664 |
| 220x90mm         | VKC5761 |



1.5m Rectangular Duct Silencer

| Key Products:    |         |
|------------------|---------|
| 204x60mm         | VKC5662 |
| 204x60mm Hi-Flow | VKC5665 |
| 220x90mm         | VKC5762 |

For technical  
information,  
please click the  
product code





## Available Sizes

100mm

125mm

204x60mm

220x90mm



Click Here  
to View the  
Whole Range




# FIRE SOLUTIONS Range

Verplas provides a complete range of Fire Solutions suitable for all applications and modern building designs. With an increase in system ventilation the need for fire solutions is ever increasing and that's why our range of products are manufactured to the highest standard and independently tested.

We have a range of intumescent firesleeves along with fire rated airbricks,





**DID YOU KNOW?**  
Fire solutions are required when duct work penetrates fire barriers




Rectangular Fire Sleeve

|                    |             |
|--------------------|-------------|
| Key Products:      |             |
| 204x60mm           | QRS204/60SS |
| 220x90mm           | QRS220/90SS |
| Also Available In: |             |
| 110x54mm           | QRS110/54SS |



Intumescent Fire Rated Sealant

|                                |       |
|--------------------------------|-------|
| Key Products:                  |       |
| Intumescent Fire Rated Sealant | INT01 |



Round Fire Sleeve

|                    |        |
|--------------------|--------|
| Key Products:      |        |
| 125mmØ             | QRS130 |
| Also Available In: |        |
| 75mmØ Radial       | QRS75  |
| 100mmØ             | QRS100 |




Fire Rate Steel Air Valve

|                      |          |
|----------------------|----------|
| Key Products:        |          |
| 100mmØ Extract Valve | MW104FRE |
| 100mmØ Supply Valve  | MW105FRS |
| 125mmØ Extract Valve | MW124FRE |
| 125mmØ Supply Valve  | MW125FRS |
| Also Available In:   |          |
| 150mmØ Extract Valve | MW154FRE |
| 150mmØ Supply Valve  | MW155FRS |
| 200mmØ Extract Valve | MW204FRE |
| 200mmØ Supply Valve  | MW205FRS |

For technical information, please click the product code





## Available Sizes

100mmØ

125mmØ

150mmØ

204x60mm


220x90mm

Click Here  
to View the  
Whole Range



# PREPACKED KITS Range

The Verplas Cooker and Tumble Dryer Kits are designed specifically for wholesalers due to their feasibility for over the counter trade sales. The kits work effectively for plumbing and heating contractors working with installing kitchens and tumble driers. The range comprises of multiple options that are available to suit all applications, yet all achieve the same end result of ensuring installation runs smoothly.





**ENQUIRE TODAY**  
Can't see what  
you are looking  
for? Reach out to  
our team of  
experts who will  
be happy to help  
you.

**CALL  
US**



## Through the Wall Kits

### Key Products:

100mmØ Round Internal Ventilator    ● ● ● ● VVK200



## Tumble Dryer Kits

### Key Products:

Indoor Tumble Dryer Venting Kit

● VVK675P



## Cooker Hood Kits

### Key Products:

100mmØ 1m with Gravity Outlet Kit  
125mmØ 1m with Adaptor to 100mmØ Round Kit  
125mmØ 1m with Gravity Outlet Kit  
125mmØ 1m with Cowl Outlet Kit  
204x60mm Rectangular 3m with Airbrick & Horizontal Bend Kit

### Also Available In:

150mm Round x 1m Flexible Cooker Hood Kit  
180x90mm Rectangular 3m with Airbrick & Horizontal Bend Kit  
110x54mm Rectangular x 3m Long with Cowl Outlet Kit  
110x54mm Rectangular x 3m with Cowl & Horizontal Bend Kit  
150x70mm Rectangular x 3m with Airbrick, Horizontal Bend & Reducer to 100mmØ Kit

● ● ● ● VVK224  
● VVK520  
● ● VVK225  
● ● VVK265  
● ● VVK5650

● VVK669  
● ● ● ● VVK668  
● VVK312W  
● ● VVK483  
● VVK316A

For technical  
information,  
please click the  
product code



## Available Sizes

75mmØ

Click Here  
to View the  
Whole Range


[www.Verplas.co.uk](http://www.Verplas.co.uk)

[Sales@Verplas.co.uk](mailto:Sales@Verplas.co.uk)

01202 825898




Simple, hygienic and easy to install, Verplas Radial ducting systems provide installers with a vast range of 75mmØ ducting ancillaries for the complete Mechanical Ventilation Heat Recovery installation. Fully SAP tested, the range is a perfect fit for new build projects. Air Distribution Plenums within the range provide both designers and installers with the flexibility to choose a system that is suited to their individual design needs. The 75mmØ enables installers to thread the ducting through the building.





**DID YOU KNOW?**

The Radial Ducting is internally anti bacterial to prevent the build up of contaminants on the inside of the ducting.



## Radial Ducting Roll

Key Products:  
75mmØ Ducting Roll x 50m    VR75-DUCT-50M



## Radial Duct to Duct Connector

Key Products:  
75mmØ Round Connector    VR75-DUCT-CON



## Radial Ducting Cutter

Key Products:  
Radial Ducting Cutter    VR75-CUTTER



## Radial Plenum

Key Products:  
75mmØ Plenum 125mm spigot    VR75-DUCT-PL



## Radial Ducting Clamp

Key Products:  
75mmØ Ducting Clamp    VR75-DUCT-CLAMP



## Radial 90° Bend

Key Products:  
75mmØ Round 90° Bend    VR75-90-BEND

For technical information, please click the product code





**DID YOU KNOW?**  
On our website  
you can download  
multiple technical  
data sheets in  
one go, click the  
button below to  
visit our technical  
data sheet  
download page

**CLICK  
HERE!**




## Radial End Cap

Key Products:

75mm Round End Cap

VR75-END-CAP



## 6 Port Manifold Box

Key Products:

6 Port Manifold Box

VR75-MAN-6




## Radial Insulated Sleeve

Key Products:

75mmØ Insulated Sleeve x 10m

VR75-DUCT-INS



## 10 Port Manifold Box

Key Products:

10 Port Manifold Box

VR75-MAN-10




## Radial Ducting Fire Sleeve

Key Products:

75mmØ Fire Sleeve for Radial duct

QRS75



## 10 Port Horizontal Manifold Box

Key Products:

10 Port Manifold Horizontal Box

VR75-MAN10H

For technical  
information,  
please click the  
product code





**DID YOU KNOW?**

Inside the  
Manifold boxes  
is acoustic foam  
that reduces  
noise


?



## 10 Port Manifold Box Rectangular Input

**Key Products:**

10 Port Manifold Box 220x90mm Rectangular Input    VR75-MAN-10R




## 14 Port Manifold Box


**Key Products:**

14 Port Manifold Box

VR75-MAN-14




The 75mmØ  
ducting can easily be  
threaded through the  
building connected  
to each room using  
Verplas designed  
manifold boxes  
and plenums.



For technical  
information,  
please click the  
product code





## Available Sizes

100mmØ

125mmØ

150mmØ


Click Here  
to View the  
Whole Range




# TILE VENTILATORS Range

The Verplas Tile Ventilator range offers designers a high, free area to maintain a low ventilation system pressure, allowing for greater flexibility when selecting a Heat Recovery Extract System. Our tile ventilators are designed to fit seamlessly into the roof profile and blend with the chosen slate covering, making for easy installation.





**DID YOU KNOW?**  
It's vital to prolong the life of your entire roofing system. Poor ventilation can result in ongoing mold issues and water damage.



## Brown Tile Roof Vent

### Key Products:

Tile Roof Vent 100 - 150mmØ Brown    TILEVENT-BR



## Grey Tile Roof Vent

### Key Products:

Tile Roof Vent 100 - 150mmØ    TILEVENT-GRY



## Grey Slate Roof Vent

### Key Products:

Slate Roof Vent 100 - 150mmØ Grey    SLATEVENT-GREY

Easy installation and interlocking with adjacent slates or tiles

Low profile design, making it unobtrusive on the roof line.

Large free area of 20,000mm² for high flow system performance.

VKC619 - 150mmØ to 125mmØ Reducer

VKC603 - 125mmØ to 100mmØ

Perfect solution for Heat Recovery Systems to ensure maximum efficiency

For technical information, please click the product code



Available  
Sizes

Variable Sizes  
Available

Click Here  
to View the  
Whole Range

www.Verplas.co.uk

Sales@Verplas.co.uk

01202 825898




# DUCTING ACCESSORIES Range

The Verplas Ducting Accessories range provides installers with multiple components that are needed for an efficient and fast ventilation installation.

Our Universal Pipe Clip is the latest addition to this range, suitable for our 100mmØ, 125mmØ and 150mmØ round ducting range, the pipe clip itself is created from recycled materials. This is part of our effort to reduce waste from going to landfill.





DID YOU KNOW?

Galvanised  
banding is often  
used as an  
alternative to pipe  
and duct clips.

CLICK  
HERE!



## Metal Hose Clips

### Key Products:

|             |        |
|-------------|--------|
| 55 - 170mmØ | VKC262 |
| 100mmØ      | VKC264 |
| 125mmØ      | VKC611 |

### Also Available In:

|        |        |
|--------|--------|
| 80mmØ  | VKC261 |
| 150mmØ | VKC674 |
| 200mmØ | VKC440 |



## Galvanised Banding Reels

### Key Products:

|                       |          |
|-----------------------|----------|
| 12mm x 10m            | BANDGALV |
| 12mm x 10m PVC Coated | BANDPB   |



## PVC Ducting Sealing Tapes

### Key Products:

|                  |        |
|------------------|--------|
| 50mm wide x 4.6m | EK152  |
| 50mm wide x 33m  | VKC273 |



## Duct Sealants

### Key Products:

|                                |       |
|--------------------------------|-------|
| Intumescent Fire Rated Sealant | INT01 |
| Acrylic Duct Sealant           | INT02 |



## Aluminium Sealing Tapes

### Key Products:

|            |        |
|------------|--------|
| 50mm x 45m | VKC274 |
|------------|--------|



## Round Wall Plates

### Key Products:

|                    |        |
|--------------------|--------|
| 100mmØ             | VKC19  |
| 125mmØ             | VKC618 |
| Also Available In: |        |
| 150mmØ             | VKC661 |

For technical  
information,  
please click the  
product code





**DID YOU KNOW?**  
The main fitting itself within the Universal Pipe Clip is created from recycled materials. We are using every opportunity we can to help reduce waste from going to landfill.



## Rectangular Wall Plates

### Key Products:

204x60mm VKC5601

### Also Available In:

110x54mm VKC206  
150x70mm VKC601  
180x90mm VKC657




## Universal Pipe Clip

### Key Products:

100mmØ, 125mmØ, 150mmØ    UNIVERSAL-PIPE-CLIP

# INSTALL IN JUST 4 EASY STEPS

## UNIVERSAL PIPE CLIP



Click the play button for a quick 4  
step installation guide on our  
YouTube Channel




For technical  
information,  
please click the  
product code



GRILLE COLOUR CODES

| Product Description                                           | Product Code       |
|---------------------------------------------------------------|--------------------|
| Sys100: Gravity Grille Brown Rectangular Spigot (110x54)      | VKC231BROWN        |
| Sys100: Gravity Grille Beige Rectangular Spigot               | VKC231BEIGE        |
| Sys100: Gravity Grille Terracotta Rectangular Spigot (110x54) | VKC231TERRACOTTA   |
| Sys100: Gravity Grille White Rectangular Spigot (110x54)      | VKC231WHITE        |
| Sys100: Cowl Grille Brown Rectangular Spigot (110x54)         | VKC232BROWN        |
| Sys100: Cowl Grill Beige Rectangular Spigot                   | VKC232BEIGE        |
| Sys100: Cowl Grille Terracotta Rectangular Spigot (110x54)    | VKC232TERRACOTTA   |
| Sys100: Cowl Grille White Rectangular Spigot (110x54)         | VKC232WHITE        |
| Sys100: Louvred Grille Brown Rectangular Spigot (110x54)      | VKC233BROWN        |
| Sys100: Louvred Grille Beige Rectangular Spigot (110x54)      | VKC233BEIGE        |
| Sys100: Louvred Grille Beige Rec Spigot & Flyscreen (110x54)  | VKC233BEIGEF5      |
| Sys100: Louvred Grille Brown Rec Spigot & Flyscreen (110x54)  | VKC233BROWNFS      |
| Sys100: Louvred Grille Terracotta Rectangular Spigot(110x54)  | VKC233TERRACOTTA   |
| Sys100: Louvred Grille Terracotta Rec Spigot & Flyscreen      | VKC233TERRACOTTAF5 |
| Sys100: Louvred Grille White Rectangular Spigot (110x54)      | VKC233WHITE        |
| Sys100: Louvred Grille White Rec Spigot & Flyscreen (110x54)  | VKC233WHITEFS      |
| Sys100: Gravity Grille Brown Round Spigot                     | VKC243BROWN        |
| Sys100: Gravity Grille Beige Round Spigot                     | VKC243BEIGE        |
| Sys100: Gravity Grille Black Round Spigot                     | VKC243BLACK        |
| Sys100: Gravity Grille Round Spigot - Green                   | VKC243GREEN        |
| Sys100: Gravity Grille Terracotta Round Spigot                | VKC243TERRACOTTA   |
| Sys100: Gravity Grille White Round Spigot                     | VKC243WHITE        |
| Sys100: Louvred Grille Brown Round Spigot                     | VKC244BROWN        |
| Sys100: Louvred Grille Beige Round Spigot & Flyscreen         | VKC244BEIGEF5      |
| Sys100: Louvred Grille Beige Round Spigot                     | VKC244BEIGE        |
| Sys100: Louvred Grille Brown Round Spigot & Flyscreen         | VKC244BROWNFS      |
| Sys100: Louvred Grille Black Round Spigot                     | VKC244BLACK        |
| Sys100: Louvred Grille Black Round Spigot & Flyscreen         | VKC244BLACKFS      |
| Sys100: Louvred Grille Grey (RAL 7016) Round Spigot           | VKC244GREY         |
| Sys100: Louvred Grille Grey RAL7016 Round Spigot F/5          | VKC244GREYFS       |
| Sys100: Louvred Grille Terracotta Round Spigot                | VKC244TERRACOTTA   |
| Sys100: Louvred Grille Terracotta Round Spigot & Flyscreen    | VKC244TERRACOTTAF5 |
| Sys100: Louvred Grille White Round Spigot                     | VKC244WHITE        |
| Sys100: Louvred Grille White Round Spigot & Flyscreen         | VKC244WHITEFS      |
| Sys100: Cowl Grille Brown Round Spigot                        | VKC245BROWN        |
| Sys100: Cowl Grille Beige Round Spigot                        | VKC245BEIGE        |
| Sys100: Cowl Grille Black Round Spigot                        | VKC245BLACK        |
| Sys100: Cowl Gravity Grille 4" Grey                           | VKC245GREY         |
| Sys100: Cowl Grille Terracotta Round Spigot                   | VKC245TERRACOTTA   |
| Sys100: Cowl Grille White Round Spigot                        | VKC245WHITE        |
| Sys100: Airbrick Adaptor c/w Brown Grille (110x54)            | VKC247GBROWN       |
| Sys100: Airbrick Adaptor c/w Beige Grille (110X54)            | VKC247GBEIGE       |
| Sys100: Airbrick Adaptor c/w Terracotta Grille (110x54)       | VKC247GTERRACOTTA  |
| Sys100: Airbrick Adaptor c/w White Grille (110x54)            | VKC247GWHITE       |
| Sys100: Round Grille White (100) c/w flyscreen                | VKC256WHITE        |
| Sys100: Round Grille Brown (100)                              | VKC256BROWN        |
| Sys100: Round Grille Beige (100)                              | VKC256BEIGE        |
| Sys125: Louvred Grille White Round Spigot                     | VKC268WHITE        |
| Sys125: Louvred Grille Brown Round Spigot                     | VKC268BROWN        |
| Sys125:Louvred Grille Beige Round Spigot & Flyscreen          | VKC268BEIGEF5      |
| Sys125: Louvred Grille Beige Round Spigot                     | VKC268BEIGE        |
| Sys125:Louvred Grille Brown Round Spigot & Flyscreen          | VKC268BROWNFS      |
| Sys125: Louvred Grille Black Round Spigot                     | VKC268BLACK        |
| Sys125: Louvred Grille Black Round Spigot & Flyscreen         | VKC268BLACKFS      |
| Sys125: Louvred Grille White Round Spigot & Flyscreen         | VKC268WHITEFS      |
| Sys125: Louvred Grille Terracotta Round Spigot                | VKC268TERRACOTTA   |
| Sys125: Louvred Grille Terracotta Round Spigot & Flyscreen    | VKC268TERRACOTTAF5 |
| Sys125: Gravity Grille Brown Round Spigot                     | VKC270BROWN        |
| Sys125: Gravity Grille Beige Round Spigot                     | VKC270BEIGE        |
| Sys125: Gravity Grille Black Round Spigot                     | VKC270BLACK        |
| Sys125: Gravity Grille Terracotta Round Spigot                | VKC270TERRACOTTA   |
| Sys125: Gravity Grille White Round Spigot                     | VKC270WHITE        |
| Sys150: Louvred Grille White Round Spigot                     | VKC275WHITE        |
| Sys150: Louvred Grille Brown Round Spigot                     | VKC275BROWN        |
| Sys150: Louvred Grille Beige Round Spigot                     | VKC275BEIGE        |
| Sys150: Louvred Grille Beige Round Spigot & Flyscreen         | VKC275BEIGEF5      |
| Sys150: Louvred Grille Brown Round Spigot & Flyscreen         | VKC275BROWNFS      |


| Product Description                                         | Product Code       |
|-------------------------------------------------------------|--------------------|
| Sys150: Louvred Grille Black                                | VKC275BLACK        |
| Sys150: Louvred Grille Black c/w Flyscreen                  | VKC275BLACKFS      |
| Sys150: Louvred Grille White Round Spigot & Flyscreen       | VKC275WHITEFS      |
| Sys150: Louvred Grille Terracotta Round Spigot              | VKC275TERRACOTTA   |
| Sys150: Louvred Grille Terracotta Round Spigot & Flyscreen  | VKC275TERRACOTTAF5 |
| Sys150: 150mm Cowl Grill Brown                              | VKC280BROWN        |
| Sys150: 150mm Cowl Grille Beige                             | VKC280BEIGE        |
| Sys150: 150mm Cowl Grille Terracotta                        | VKC280TERRACOTTA   |
| Sys150: 150mm Cowl Grille White                             | VKC280WHITE        |
| Sys125: Cowl Grille White Round Spigot (150x70)             | VKC289WHITE        |
| Sys125: Cowl Grille Brown Round Spigot (150x70)             | VKC289BROWN        |
| Sys125: Cowl Grille Beige Round Spigot (150x70)             | VKC289BEIGE        |
| Sys125: Cowl Grille Black Round Spigot (150x70)             | VKC289BLACK        |
| Sys125: Cowl Gravity Grille 5" Grey                         | VKC289GREY         |
| Sys125: Cowl Grille Terracotta Round Spigot (150x70)        | VKC289TERRACOTTA   |
| Sys150: Gravity Grille Brown Round Spigot                   | VKC292BROWN        |
| Sys150: Gravity Grille Beige Round Spigot                   | VKC292BEIGE        |
| Sys150: Gravity Grille Terracotta Round Spigot              | VKC292TERRACOTTA   |
| Sys150: Gravity Grille White Round Spigot                   | VKC292WHITE        |
| Sys204: Airbrick Brown (204x60)                             | VKC5631BROWN       |
| Sys204: Airbrick Beige (204x60)                             | VKC5631BEIGE       |
| Sys204: Airbrick Black (204x60)                             | VKC5631BLACK       |
| Sys204: Airbrick Telegrey (RAL7045)                         | VKC5631GREY        |
| Sys204: Airbrick Anthracite Grey (RAL7016)                  | VKC5631DARKGREY    |
| Sys204: Airbrick Terracotta (204x60)                        | VKC5631TERRACOTTA  |
| Sys204: Airbrick White (204x60)                             | VKC5631WHITE       |
| Sys204: Double Airbrick Adaptor with Beige Grilles (204x60) | VKC5633GBEIGE      |
| Sys204: Double Airbrick Adaptor with Brown Grilles (204x60) | VKC5633GBROWN      |
| Sys204: Double Airbrick Adaptor c/w Anthracite Grey Grilles | VKC5633GDARYGREY   |
| Sys204: Double Airbrick Adaptor with Light Grey Grilles     | VKC5633GGREY       |
| Sys204: Double Airbrick Adaptor with Terracotta Grilles     | VKC5633GTERRACOTTA |
| Sys204: Double Airbrick Adaptor with White Grilles          | VKC5633GWHITE      |
| Sys204: Airbrick with Beige Grille & Surround               | VKC5635BEIGE       |
| Sys204: Airbrick with Black Grille & Surround               | VKC5635BLACK       |
| Sys204: Airbrick with Brown Grille & Surround               | VKC5635BROWN       |
| Sys204: Airbrick with Terracotta Grille & Surround (204x60) | VKC5635TERRACOTTA  |
| Sys204: Airbrick with White Grille & Surround               | VKC5635WHITE       |
| Sys220: Airbrick Adaptor c/w Brown Grille                   | VKC5733GBROWN      |
| Sys220: Airbrick Adaptor c/w Beige Grille                   | VKC5733GBEIGE      |
| Sys220: Airbrick Adaptor c/w Black Grille                   | VKC5733GBLACK      |
| Sys220: Double Airbrick Adaptor with Light Grey Grilles     | VKC5733GGREY       |
| Sys220: Airbrick Adaptor c/w Terra Grille                   | VKC5733GTERRACOTTA |
| Sys220:Airbrick Adaptor c/w White Grille                    | VKC5733GWHITE      |
| Sys225: Airbrick Adaptor with Brown Grille (234x29)         | VKC703GBROWN       |
| Sys225: Airbrick Adator with Beige Grille (234x29)          | VKC703GBEIGE       |
| Sys225: Airbrick Adaptor with Black Grill (234x29)          | VKC703GBLACK       |
| Sys225: Airbrick Adaptor with Light Grey Grills (234x29)    | VKC703GGREY        |
| Sys225: Airbrick Adaptor with Terracotta Grille (234x29)    | VKC703GTERRACOTTA  |
| Sys225: Airbrick Adaptor with White Grill (234x29)          | VKC703GWHITE       |
| Airbrick Grille White                                       | VKC704WHITE        |
| Airbrick Grille Brown                                       | VKC704BROWN        |
| Airbrick Grille Beige                                       | VKC704BEIGE        |
| Airbrick Grille Black                                       | VKC704BLACK        |
| Airbrick Grille Grey HS 8900/2                              | VKC704GREY         |
| Airbrick Grille Anthracite Grey (RAL 7016)                  | VKC704DARKGREY     |
| Airbrick Grille Terracotta                                  | VKC704TERRACOTTA   |
| Sys225: Double Airbrick Adaptor with Brown Grills           | VKC712GBROWN       |
| Sys225: Double Airbrick Adaptor with Beige Grills           | VKC712GBEIGE       |
| Sys225: Double Airbrick Adaptor with Light Grey Grills      | VKC712GGREY        |
| Sys225: Double Airbrick Adaptor with Terracotta Grills      | VKC712GTERRACOTTA  |
| Sys225: Double Airbrick Adaptor with White Grills           | VKC712GWHITE       |
| Airbrick Grille Brown with Surround                         | VKC714BROWN        |
| Airbrick Grille Beige with Surround                         | VKC714BEIGE        |
| Air Brick Grille Black With Surround                        | VKC714BLACK        |
| Airbrick Grille Terracotta with Surround                    | VKC714TERRACOTTA   |
| Airbrick Grille White with Surround                         | VKC714WHITE        |
| Sys150:Louvred Grille Brown Round Spigot & Flyscreen        | VKC275BROWNFS      |



DID YOU KNOW?

You can view the products on our website for product images, technical data sheets and more.

CLICK  
HERE!



**DID YOU KNOW?**

We have a dedicated team and in 2022 we sucessfully achieved a Silver Award with Investor in Customers. Please reach out to our team of experts for any enquiries.

**CLICK HERE!**

PRE PACKED KITS

COOKER HOOD


| Product Description                                                              | White   | Brown    | Beige    | Terracotta |
|----------------------------------------------------------------------------------|---------|----------|----------|------------|
| 100mmØ 1m with Gravity Outlet Kit                                                | VVK224  | VVK244B  | VVK224BE | VVK224T    |
| 125mmØ 1m with Adaptor to 100mmØ Round Kit                                       | VVK520  |          |          |            |
| 125mmØ 1m with Gravity Outlet Kit                                                | VVK225  | VVK225B  |          |            |
| 125mmØ 1m with Cowl Outlet Kit                                                   | VVK265  | VVK265B  |          |            |
| 204x60mm Rectangular 3m with Airbrick & Horizontal Bend Kit                      | VVK5650 | VVK5650B |          |            |
| 150mm Round x 1m Flexible Cooker Hood Kit                                        | VVK669  |          |          |            |
| 180x90mm Rectangular 3m with Airbrick & Horizontal Bend Kit                      | VVK668  | VVK668B  | VVK668BE | VVK668T    |
| 110x54mm Rectangular x 3m Long with Cowl Outlet Kit                              | VVK312W |          |          |            |
| 110x54mm Rectangular x 3m with Cowl & Horizontal Bend Kit                        | VVK483  | VVK483B  |          | VVK483T    |
| 150x70mm Rectangular x 3m with Airbrick, Horizontal Bend & Reducer to 100mmØ Kit | VVK316A |          |          |            |

THROUGH THE WALL

| Product Description             | White   | Brown   | Beige    | Terracotta |
|---------------------------------|---------|---------|----------|------------|
| 100mØ Round Internal Ventilator | VVK200W | VVK200B | VVK200BE | VVK200T    |

TUMBLE DRYER

| Product Description             | White   | Brown | Beige | Terracotta |
|---------------------------------|---------|-------|-------|------------|
| Indoor Tumble Dryer Venting Kit | VVK675P |       |       |            |





#### DID YOU KNOW?

We also have a chat agent available on our website. During our opening hours it will be managed by our amazing team.

**CLICK  
HERE!**



**+44 (0) 1202  
825898**

If you have any queries regarding placing an order, or if you would like more information about any of our product ranges, please reach out to our team of experts who will be happy to help you.

Simply give us a call or reach out to us via email or through our contact page on our website.

## NEED HELP?

**FAQs**

**FAQS**

Visit our frequently asked questions page on our website. Here you can find regular questions asked about our ordering process or technical information.

Follow us on social media and subscribe to our YouTube. Find out more about who we are as a company, our people and our products.

## Follow us on SOCIAL MEDIA

**WEBSITE**



**EMAIL**



**YOUTUBE**



**LINKEDIN**



For technical information, please click the product code





DID YOU KNOW?

You can also inform us of an order issue through the 'Raise a Case' section on our customer portal

VISIT OUR WEBSITE

Orders Below £25

Orders Below £250

For small orders valued below £25, an admin fee of £25 will be applied. Delivery charges will also be applied in addition to this. Please refer to our delivery charges for the relevant fees.

Delivery is free for orders over £250. Orders below this value are subject to a £27 delivery charge. (This applies to standard deliveries in mainland Britain only). Additional charges apply for special vehicle or timed requests, see table.

## Standard Orders

Small to medium standard orders have a 4-working day lead time. If changes to your Purchase Order are needed, the lead time begins upon receipt of the amended PO.

## Cancelled Orders

If an order is cancelled after being picked and awaiting dispatch, a 40% handling fee will be charged to cover the costs associated with the prior preparation and cancellation of your order.

## Collecting Your Order

You have the option to collect the order yourself or arrange for your own carrier, instead of choosing delivery. Please inform us during the ordering process if you prefer collection. Collection must occur within 7 days of our notification that the order is ready. Failure to collect within this timeframe will result in order cancellation and a 40% restocking fee will be applied.

### COLLECTION TIMES

Monday - Thursday: 9:00am - 3:00pm  
Friday: 9:00am - 1:00pm



# ORDER & DELIVERY TERMS

International Orders

International orders will incur carriage charges based on actual costs. Contact us during the order placement for an estimated price, but please be aware that this may change at the time of transportation booking. The final cost will be confirmed once the order is packed and ready for shipping.



## Large Orders

Orders of significant size require a lead time of 1-2 weeks. Your expected delivery date will be detailed on the order confirmation we send to you.

## Bespoke Orders

Bespoke orders require a 4-6 week lead time. Your expected delivery date will be detailed on the order confirmation we send to you.

## Changing Your Order

After processing your order and sending a confirmation, we are unable to make any changes to it.

## Goods Ordered in Error

Returns or credits cannot be processed for goods ordered in error.

## For Problems With Your Order

Upon receiving your delivery, please report any issues such as missing products, damaged goods, or incorrect items in writing within 7 working days, by emailing [aftersales@verplas.co.uk](mailto:aftersales@verplas.co.uk).

Failure to notify us within this period will result in us being unable to provide replacements or credits.

## Agreed Terms

In the event of an agreed return under exceptional circumstances, a 40% restocking fee will apply. The goods must be returned at your expense and in a resellable condition, goods must be returned within 7 working days.

## Stock Cleanse

We do not offer a stock cleanse.

| Delivery Requirements                                                     | Cost (Ex Vat) |
|---------------------------------------------------------------------------|---------------|
| Small order charge (Orders below £25)                                     | £25.00        |
| Pre 9am                                                                   | £40.00        |
| Timed Delivery Charge                                                     | £38.00        |
| Site Delivery Charge                                                      | TBC           |
| 10am-4pm Delivery Requested                                               | £27.00        |
| Carriage Fee - Export                                                     | TBC           |
| Below Minimum Order Value - £27 Charge                                    | £27.00        |
| Pre-Noon Delivery                                                         | £27.00        |
| Pre 10 AM Delivery                                                        | £40.00        |
| After 4.00pm Timed                                                        | £32.00        |
| Saturday AM Delivery                                                      | £49.00        |
| Requested Tail Lift Assistance                                            | £27.00        |
| FORS Registered Vehicle - Price TBC at time of booking                    | TBC           |
| Small Vehicle Request (7.5T and Under)                                    | £22.00        |
| Book In/ Rebook In Service                                                | £11.00        |
| Redelivery / Wasted Journey - TBC at the time of incident                 | TBC           |
| Extended Waiting (30mins after arrival)                                   | £27.00        |
| Hand Ball Off Vehicle or Re-packing cost                                  | £27.00        |
| Standard Delivery Over Minimum Value                                      | TBC           |
| Obliged Parking Fines Occurred in Delivery Drop - TBC at time of incident | TBC           |
| Storage Cost (£9 per pallet per day)                                      | £9.00         |
| Collection                                                                | £0.00         |
| Carriage at Cost - COST TBC BEFORE DESPATCH                               | TBC           |

For technical information, please click the product code

